

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1881.

A.

- Abel, F. A., colliery explosions, 948.
Abel. See also Noble.
Abney, W. de W., note on the spectrum of sodium, 957.
— on the photographic method of mapping the least refrangible end of the solar spectrum, with a map of the solar spectrum from 7,600 to 10,750, 957.
— spectrum of sodium, 862.
Abney, W. de W., and R. Festing, influence of the molecular grouping in organic bodies on their absorption in the infra-red region of the spectrum, 487, 957.
Adam. See Grimaux.
Adams, F. D., analyses of the water of Assiniboine and Red Rivers, Canada, 562.
Aitken, J., relations between dust, fog, and clouds, 970.
Albert, E. and H., preparation of phosphates, 950.
Albert, J., coloured photographs, 1178.
Albert, H., and Siegfried, manuring cress with dicalcium phosphate on soil free from humus, 462.
Albert, H., and R. Wagner, behaviour of phosphates in water charged with carbonic acid, 117.
Alexejeff, W., diazo-compounds, 262.
— heat phenomena of the solution of alcohols in water and of water in alcohols, 9.
— liquid camphor, 438.
— preparation of pure phenol, 723.
Allary, E., analyses of marine algae, 319.
— purification of carbon bisulphide, 800.
Allary, E., and J. Pellieux, extraction of potassium iodide from kelp, 319.
Allary. See also Pellieux.
Allred, C. H., treatment of mineral and other substances containing small quantities of calcium phosphate, 665.
Allen, A. H., isolation of strychnine, 1176.
— notes on petroleum spirit and allied liquids, 651.
— specific rotatory power of cane- and invert-sugar, 653.
Allen, C. L., incandescence of cupric antimonate when heated strongly, 513.
Allen, H. v., *Viburnum prunifolium*, 104.
Allen, O. D., and W. J. Comstock, bastnasite and tysonite from Colorado, 364.
Allert, R., derivatives of metachloronitrobenzene and orthochlorobenzene-sulphonic acid, 902.
Allihn, F., conversion of starch into sugar by the action of dilute sulphuric acid at high temperatures, 149.
— grape-sugar from starch, 770.
Amagat, E. H., action of oxygen on mercury at the ordinary temperature, 1107.
— compressibility of carbonic anhydride and of air under low pressures and at high temperatures, 1094.
— compressibility of oxygen, 782.
— dilatation and compressibility of gas under high pressures, 12.
Ammon, G., permeability of soils to air, 302.
Andoynaud, A., and B. Chauzit, permeation of water through the soil, 1071.
André, strontium and barium oxychlorides, 979.
Andreasch, R., carbamidacetosulphonic acid, 257.

Andreasch, R., synthesis of methylparabanic and methylthioparabanic acids and of cholestrophane, 896.
 Andresen, M., thymoquinonedichlorimide, 590.
 Andrews, L. W., bromorthamidoparabenzenesulphonic acid, 174.
 — bromorthonitrobenzenesulphonic acids, 174.
 Andrews. See also Hill.
 Angelibis, C., the picrites of Nassau, and the labradorite porphyries of Westphalia, 387.
 Anschütz, R., decomposition of citric acid by distillation, 35.
 Anschütz, R., and W. Petri, itaconic anhydride, 35.
 Anschütz. See also Kekulé.
 Antweiler. See Claisen.
 Antz, C., and E. Erlenmeyer, action of ammonium citrate on phosphates, 847.
 Arata, P. M., chemical examination of *Persea Lingue* and its tannin, 600.
 — quebrachitannic acid, 1152.
 — supposed identity of paytine and aspidospermine, 622.
 Armstrong, G. F., diurnal variation of carbonic anhydride in the air, 974.
 Armstrong, H. E., and W. A. Tilden, remarks on Kolbe's discovery of a new cymene in light rosin oils, 40.
 Arnold, A. E., note on a crystallised slag isomorphous with olivine, 1016.
 Arnold, C., Fehling's solution, 942.
 Arnold, J. O., estimation of chromium in iron and steel, 646.
 — estimation of phosphorus in steel, 646.
 Arnold, L. B., effect of oxygen on the quality of butter, 1184.
 Aronstein, L., action of ethyl bromide on ethyl bromacetate, 576.
 — conversion of normal into isopropyl bromide by heat, 567.
 Aronstein, L., and J. M. A. Kramps, action of methyl iodide on methyl iodacetate, 576.
 Arx, J. v., α - and β -naphthylene-phenylene oxides, 282.
 Arzruni, A., coquimbite, 397.
 Ashby, A., formulæ for calculating the quantity of water added to diluted spirit, 1182.
 Atkinson, R. W., diastase of Koji, 1059.
 Attwood, G., a contribution to S. American geology, 390.
 Aubin. See Muntz.
 Ayrton. See Perry.

B.

Babcock, S. M., celestine from the Muschelkalk of Jühnde, near Göttingen, 524.
 Bachmeyer, W., tannic acid as alkalimetric indicator, 946.
 Badenhausen. See Danilewski.
 Bätcke. See Claus.
 Baeyer, A., preparation of skatole from indigo, 278.
 — relation of cinnamic acid to the indigo group, 274.
 Baker, A. L., amount of water of crystallisation of hydrated nitrate of strontium, 509.
 — analysis of a ferruginous mineral from Amhurst Co., Va., 554.
 — artificial production of livingstonite, 517.
 Ballant, *Phytolacca dioica*, 1151.
 Balland, a cause of alteration of textile fabrics, 1185.
 Ballo, M., a new property of camphor, 438.
 — isobutylallylmalonic acid, 415.
 — oxidation-products of camphor, 438.
 Balsohn. See Friedel.
 Bamberger, E., guanylthiocarbamide and some guanylguanidines, 43.
 Banno, A., an isomeric potassium cyanate, 144.
 Barbaglia, G. A., thiovaleraldehyde, 34.
 Barbaglia, G. A., and P. Gucci, action of chlorine on diisopropylketone, 34.
 — — — action of heat on sodium hydrogen sulphite, 224.
 — — — dry distillation of calcium isobutyrate, 35.
 Barbieri. See Schulze.
 Bardy, C., assay of wood-spirit for the preparation of methylated spirit, 1174.
 — — — wood-spirit for making methylated spirit, 942.
 Barth, L., and J. Herzig, mesitylene-sulphonic acid, 733.
 Barth, L., and M. Kretschy, picrotoxin, 286.
 Baudrimont, E., analysis of bismuth subnitrate, 196.
 Baudrowski, E., potassium propargylate, 239.
 Bauer, A., and M. Gröger, new acid of the $C_nH_{2n-4}O_6$ series, 894.
 Bauer, M., barsowite, 375.
 — — — kjerulfsin, 366.
 — — — parallel junction of different varieties of epidote, 379.

- Baumert, G., lupinine, 831.
 Baumhauer, H., note on mica, especially zinnwaldite, 692.
 — perowskite, 398.
 Baumhauer, H., and E. Mallard, boracite, 397.
 Baumhauer, R., artificial calc spar twins, 397.
 Baur, J., *Hydrangea arborescens*, 916.
 Baur. See also Meyer.
 Bayley, T., preparation of potassium hydrogen saccharate, 580.
 Béchamp, A., formation of chloroform from alcohol and bleaching powder, 566.
 — viscose, 1024.
 Béchamp, J., presence of alcohol in the animal tissues, 928.
 Becke, F., hypersthene from Bodenmais, 539.
 — twin formation and optical properties of chabasite, 398.
 Becker, A., optical rotatory power of asparagine and aspartic acid in different solvents, 801.
 Becker. See also Michaelis.
 Beckhusen, H., results of fattening calves with skimmed milk, 297.
 Beckurts, H., and R. Otto, action of heat and water on the halogen substituted acids of the $C_nH_{2n}O_2$ series, 574.
 Beckurts. See also Otto.
 Becquerel, H., specific magnetism of ozone, 340.
 Becquerel, E. and H., temperature of the soil under snow, 934.
 Bedall, K., and O. Fischer, hydroxy-quinoline, 613.
 Beetz, W., elasticity and electric conductivity, 776.
 — the strict meaning of galvanic polarisation, 490.
 Behrend, R., action of sulphuryl chloride on dimethylamine, 716.
 Beilstein, F., and A. Kurbatow, Caucasian petroleum, 159, 1020.
 — — — hydrocarbons from American petroleum, 159.
 — — — oxidation of α - and β -dinitro-naphthalene by nitric acid, 435.
 Békétoff, combination of sodium oxide with carbonic anhydride and action of sodium on mercuric oxide, 348.
 Beletzky, decomposition of phosphorite by peat, 457.
 Bellati, M., and R. Romanese, thermic properties of some double iodides, 217.
 Belohoubek, analysis of Bohemian tea, 131.
 Belohoubek, analyses of commercial articles in Austria, 941.
 Bénard and J. Girardin, estimation of gluten in flour, 1177.
 Bender, G., action of ethyl chlorocarbonate on phenols, 48.
 Benedikt, R., and A. v. Hübl, dinitro- and trinitro-resorcinol, 1132.
 Benedikt. See also Weselsky.
 Benker. See Lasne.
 Benoist. See Miquel.
 Berger, F., action of acetamide on phenyl cyanamide, 810.
 Bergmann, A., Tiemann's process for the manufacture of butter and cheese, 952.
 Bernheimer, O., organic nitroprussides, 883.
 — — — products from the roasting of coffee, 287.
 Berthelsen, A., composition of sodium hyposulphite, 508, 976.
 — — — use of sodium hyposulphite, Na_2SO_2 , in the estimation of copper, of indigo, and of oxygen dissolved in water, 310.
 Berthelsen, A., and A. Drews, titration of hyposulphite with indigo carmine, 310.
 Berthelot, action of the hydrazids on salts containing the same haloïd elements, 868.
 — — — atacamite, 7.
 — — — chloral alcoholate, 675.
 — — — contributions to the history of the ethers, 8.
 — — — cuprous chloride, 6.
 — — — ethyl peroxide, 709.
 — — — ethylene chlorhydrin, 887.
 — — — glycollic ether and ethylene oxides, 967.
 — — — heat of formation of sulphur oxides, 673.
 — — — heat of vaporisation of sulphuric anhydride, 876.
 — — — heats of formation of the oxides of nitrogen and of sulphur, 6.
 — — — hydrochlorides of metallic chlorides and the reduction of chlorides by hydrogen, 877.
 — — — magnetic oxide of iron, 219.
 — — — part played by time in the formation of salts, 344.
 — — — preparation of chlorine, 22.
 — — — reciprocal displacements of the halogen elements, 5, 342.
 — — — reciprocal displacement of the hydrazids, 869.
 — — — remarks on the properties of vapours of chlorinated organic compounds, 470.

- Berthelot, solution of chlorine in water, 784.
 — specific heat and heat of dilution of perchloric acid, 1092.
 — spontaneous oxidation of mercury and other metals, 791.
 — stability of hydrogen peroxide, 16.
 — the saccharoses, 567.
 — thermal formation of pyrogenic hydrocarbons, 343.
 — thermochemistry, 8.
 — thermochemistry of certain haloïd salts, 219.
 Berthelot and J. Ogier, heat of formation of diallyl chlorinated compounds and aldehyde, 674.
 — — — heat of formation of various carbon compounds, 870.
 — — — researches on isomerism : benzene and dipropargyl, 719.
 Berthelot and Vieille, diazobenzene nitrate, 809.
 — — — heat of formation of potassium perchlorate, 1093.
 — — — study of the explosive properties of mercury fulminate, 779.
 Bertrand, A., combination of titanium tetrachloride and benzoic chloride, 273.
 — combination of titanium tetrachloride with ethyl ether, 240.
 — combination of titanium tetrachloride with phosphorus trichloride, 347.
 — reduction of ethyl nitrate by alcohol, 242.
 Bertrand, A., and E. Finot, action of antimony pentachloride on carbon bisulphide, 238.
 Bertrand, E., andalusite from Brazil, 25.
 Bertrand, E., and A. E. Nordenskiöld, thaumasite and melanophlogite, 1000.
 Bertrand. See also Richard.
 Berwerth, F., nephrite and bowenite from New Zealand, 377.
 Bettel, W., determination of basic cinder and oxides in manufactured iron, 618.
 Bevan, E. T., and C. F. Cross, bast fibres, 111, 1121.
 Beyer, B., some derivatives of isophthalic acid, 96.
 Biegel, R., and T. Poleck, poisoning by choke-damp and coal-gas, 853.
 Bing, J., occurrence and estimation of nitrates in some vegetable substances, 122.
 Birnbaum, K., analyses of gluten bread, 67.
 Birnbaum, K., and G. Lurie, action of resorcinol on urea, 95.
 Birner, effect of the moisture in soils on the yield of potatoes, 1066.
 Birner and Brimmer, researches on the changes occurring in stable manure when kept, 937.
 Bischoff, A., and M. Guthzeit, β -methylethylene tricarboxylic acid, 579.
 Bischoff, C., homologues of aceto-propionic acid, 412.
 Bischoff, C. A., synthesis of tri- and tetra-basic fatty acids, 155.
 Bizzarri. See Campani.
 Blake, J., relation between the molecular properties of inorganic compounds and their action on living animal organisms, 629.
 Blake, W. P., occurrence of cinnabar in California and Nevada, 689.
 Blankenhorn. See Gamgee.
 Bleunard, A., legumin, 449.
 — products of the decomposition of protein compounds, 1047.
 Blomstrand, C. W., arctolite, a mineral from Spitzbergen, 1006.
 Blondlot, R., electric conductivity of heated gases, 671.
 Blyth, A. W., estimation of quinine, 1176.
 Bock. See Claus.
 Bodaszewsky, L. J., smoke and vapour under the microscope, 505.
 Bodenbender, H., and others, analyses of beet-molasses, 1089.
 Böckmann, F., celluloid, 481.
 Bödeker, K., lycopodine, 1158.
 Böhm, J., pressure in plant stems, 60.
 Böhringer. See Först.
 Böslér, cuminoïn and anisoïn, 421.
 Böttiger, C., behaviour of glyoxylic acid with potash, 155.
 — constitution of aniluvitonic acid, 278.
 — constitution of uvitonic acid, 173.
 — decomposition of mesoxalic acid, 415.
 — dimethyl α -oxyuvitate, 278.
 — ethyl pyroracetate, 418.
 — formation of pyrroline, 614.
 — formation of uvic (pyrotartaric) acid, 155.
 — introduction of aromatic hydrocarbons into ketonic and aldehydic acids, 1035.
 — oxyethylidenesuccinic acid, 254.
 — preparation of α -hydroxyuvitic acid, 172.
 — pyroracetemic acid compounds, 1032.
 — sugar from the tannin of the oak bark, 1021.
 — synthesis of quinoline, 182.
 — synthetic picolinemonocarboxylic and pyridenecarboxylic acids, 612.

- Böttlinger, C., synthetical pyridene-tricarboxylic acid, 181.
 —— tartronic acid, 714.
- Bogomoletz, action of zinc-methyl on chloracetic chloride, 401.
- Boisbaudran, L. de, anhydrous gallium chlorides, 1103.
- Bolton, H. C., action of organic acids on minerals, 62, 642.
- Boner. See Meyer.
- Bong, G., residue from the manufacture of paraffin oil from schists, 208.
- Bonnier. See Tieghem.
- Bordet, L., cork tar, 1040.
- Bornträger, A., detection of salicylic acid in urine, 472.
 —— urine after administration of quinine and morphine, 192.
- Bornträger. See also Kulz.
- Borodin, A., action of nitric acid on deoxybenzoin, 813.
- v. Borries, C., composition of milk from the same cow on consecutive days, 762.
- Borsilowsky, J., azo-derivatives of toluene, 432.
- Bottler. See Claus.
- Bottomley, J. T., on the thermal conductivity of water, 966.
- Bouchardat, G., action of sulphuric acid on bromamylene, 1114.
- Bouchardat. See also Richet.
- Boucheron, M., abnormal presence of uric acid in the saliva, gastric juice, and other secretions, 1161.
- Bouguué, electrolysis of formic and mellic acids, 798.
- Bourgeois, L., preparation of crystallised chromates, 352.
- Bourgoin, E., action of bromine on malonic acid, 155.
- Boussingault, J., dissociation of nitric acid by vegetation, 836.
 —— rapid alcoholic fermentation, 652.
 —— saccharine matters in the fruit of the coffee-plant, 127.
 —— the hot spring of the littoral chain of Venezuela, 563.
- Boutmy. See Brouardel.
- Bouty, E., changes of volume accompanying electrolytic deposition of a metal, 671.
 —— measure of the thermoelectric electromotive forces developed by the contact of a metal and a liquid, 336.
- Bowman, W. J., *Aspidium rigidum*, 1152.
- Braga, J. F., hair-dyes, 67.
- Braham, P., analysis of a crystalline mercury salt, 355.
 —— silver sulphate, 354.
- Brame, C., use of baryta to obtain metallic arsenic from arsenious oxide and arsenic sulphides, 467.
- Braun, J., nickel speiss, 228.
- Brauner, B., atomic weight of glucinum, 224.
- Brauner, B., and J. I. Watts, specific volumes of oxides, 219.
- Bredt, J., constitution of lactones, 34.
- Breymann, E., crushed seeds as fodder, 837.
- Brezina, A., autunite, 531.
 —— herrengrundite, a new basic copper sulphate, 524.
- Briem, H., influence of heat on the growth of beets and potatoes, 633.
 —— influence of light on the growth of beet, 930.
- Brier, C., and L. Jehle, experiments with various kinds of beet, 60.
- Brimmer. See Birner.
- Broch, O. J., H. St. Claire Deville, and J. Stas, measure made of a 10 per cent. iridium-platinum alloy, 680.
- Brögger, W. C., two furnace products, 353.
- Brouardel, P., and E. Boutmy, test to distinguish ptomaines from vegetable alkaloids, 749.
- Brown, H. T., and J. Heron, hydrolytic action of the pancreas and small intestine, 114.
- Brown, T. M., reduction of iron-ores by powdered zinc, 1170.
- Brückner, A., oxidation of nitrogenous methylated benzene derivatives, 93.
- Brûère, conversion of terebenthene into cymene, 39.
- Brühl, J. W., chemical constitution of organic compounds in relation to their refractive power and density, 489.
 —— relations between the physical properties of carbon compounds and their chemical constitution, 15.
- Brunck, H., and C. Graebe, action of soda on cast-iron, 126.
- Brunner. See Senhofer.
- Brunton, T. L., and T. Cash, action of ammonia and its salts, and of hydrocyanic acid, on muscle and nerve, 1058.
- Brush, G. J., and W. J. Comstock, American sulpho-selenides of mercury, 229, 361.
- Brush, G. J., and E. S. Dana, new mineral species from Fairfield, Connecticut, 529.
 —— —— relation between childrenite and eosporite, 365.
- Buchner, H., artificial generation of spleen fungus, 59.

Buchner, M., boghead coal from Resiutta, 688.
 Bücking, H., freiselenite from Hiedelaencina, Spain, 24.
 Buisine. See Duvillier.
 Bunte, H., analyses of furnace gases, 939.
 Burcker, E., synthesis of benzoyl propionic acid, 273.
 Burg, O., picene, a new hydrocarbon from peat-tar, 179.
 Buri, E., analysis of the mineral water of Niederbronn in Unter-Elsass, 80.
 Burney. See Remsen.
 Byasson, H., transformation of chloral into meta-chloral, 248.

C.

Cahours, A., and A. Étard, action of selenium on nicotine, 825.
 — — — nicotine, 288.
 Cailletet, L., and P. Hautefeuille, changes of state near the critical temperature, 677.
 — — — densities of liquid oxygen, hydrogen, and nitrogen in presence of inert liquids, 874.
 — — — liquefaction of gaseous mixtures, 676.
 Caldwell, G. C., milk-testing with the lactobutyrometer, 657.
 Camerer, researches on tissue change in children, 189.
 Cameron, C. A., analysis of milk, 1176.
 — — sewage in oysters, 953.
 Cameron, C. A., and E. W. Davy, new selenium compounds, 1099.
 Campani, G., and D. Bizzari, tartronic acid produced by the oxidation of glycerol with potassium permanaganate, 256.
 Campbell, J. L., dufrenite from Rockbridge Co., Virginia, 1111.
 Cannizzaro, S., and G. Carnelutti, action of phosphorus pentachloride on santonin acid, 286.
 — — — derivatives of santonin, 53.
 — — — the two isomerides of santonin called metasantonin, 285.
 Canzoneri, F., oxidation of the methyl ether of paraxylol, 268.
 Canzoneri. See also Paternò.
 Carl, F., isethionic acid, 581.
 Carnelley, T., preliminary notice on the existence of ice and other bodies in the solid state at temperatures far above their ordinary melting points, 966.

Carnelutti, G., ethylnaphthalene, 280.
 Carnelutti, G., and R. Nasini, alkannin, 53.
 — — — optical rotatory powers of santonin derivatives, 180.
 Carnelutti, G., and L. Valente, estimation of glucose in urine, 315.
 Carnelutti. See also Cannizzaro.
 Carnot, A., a volcanic breccia, 1016.
 — — — separation of aluminium from iron and chromium, 1081.
 — — — two varieties of diadochite found in the coal mine at Peychagnard, 999.
 Carpentin, estimation of fatty acids in oils, 202.
 Casali, A., biliary acids in toxicological researches, and the chemical nature of Schmi's ptomaines, 1046.
 — — — testing for sulphuric acid in wine or vinegar, 314.
 Casamajor, P., detection of starch-sugar mechanically mixed with commercial cane-sugar, 654.
 — — — sulphuretted hydrogen, 876.
 Casamajor, P., and others, adulteration of cane-sugar with glucose, 1089.
 Cash. See Brunton.
 Catillon, A., preparation of peptones, 449.
 Cauvet, evolution of carbonic anhydride by plant roots, 931.
 Cazeneuve, P., decomposition of copper acetate in presence of water, 153.
 — — — lactic acid fermentation in wine, 928.
 Cazeneuve and Cotton, detection of methyl alcohol in ethyl alcohol, 197.
 Cazeneuve, P., and Imbert, combination of chloral hydrate with camphor, 180.
 Cech, C. O., coffee-oil, 100.
 — — — colouring matter of *Rubus chamaemorus*, 129.
 — — — disinfecting power of the chlorophenols, 126.
 — — — investigation of the processes of decomposition occurring during the rotting of eggs, 110.
 — — — preparation of Braga beer, 857.
 — — — Russian fruit wines, 209.
 — — — valuation of hops, 946.
 — — — wines from cloudberry and cranberry, 331.
 Chamberland and Roux, non-existence of *Microzyma crete*, 835.
 Champonnois and Pellet, manuring of sugar-beet, 938.
 Chancellor, H., manuring of wheat, barley, and oats with saltpetre, 938.
 Chaper, M., mode of occurrence of gold in certain minerals from the United States, 687.

- Chappuis, E., action of ozone on germs contained in the air, 632.
- Chappuis, J., absorption-spectrum of ozone, 213.
- phosphorescence, 670.
- Chappuis. See also Hautefeuille.
- Chastaing, P., constitution of morphine, 921.
- Chauzit. See Andoynaud.
- Chittenden, R. H., and H. H. Donaldson, detection and estimation of arsenic in organic matter, 648.
- Chittenden. See also Johnson.
- Christensen, O. T., chromammonium compounds, 1104.
- Church, A. H., Cape tea, 443.
- Ciamicinian, G. L., aldehyde resin, 247.
- Ciamicinian, C. L., and M. Dennstedt, action of chloroform on potassium pyrroline, 826.
- derivatives of pyromucic acid, 801.
- — furfurylamine, 897.
- Ciamicinian. See also Weidel.
- Claesson, P., a compound of thiocyanacetic acid and carbaminethioglycolic acid, 715.
- arabinose, 795.
- characteristic colour-reactions with sulphhydrates, 646.
- dithioglycolic acid, 580.
- thiocyanuracetic acid, 715.
- toluenesulphonic acid, 429.
- Claesson, P., and C. F. Lundvall, action of ammonia and amines on ethyl and methyl sulphates, 240.
- Claisen, L., condensation of aldehydes with ethyl acetate and malonate, 405.
- Claisen, L., and P. J. Antweiler, cinnamyl cyanide and cinnamylformic acid, 169.
- — some derivatives of trichloroacetyl cyanide, 153.
- Claisen, L., and A. Claparède, compounds of acetone and mesityl oxide with benzaldehyde; constitution of acetophoron, 422.
- Claisen, L., and E. Moritz, propionylformic acid, 154.
- Claparède. See Claisen.
- Clarke, F. W., and E. A. Kebler, chromium barium oxalate, 576.
- — some double and triple oxalates containing chromium, 1030.
- Clarke, F. W., and Mary E. Owens, a new form of tetrahedrite, 228.
- — some new uranium salts, 1123.
- Clarke, F. W., and Helena Stallo, constitution of tartar emetic, 156.
- Clarke. See also Dudley.
- Classen, A., and M. A. v. Reis, electrolytic estimations and separations, 1081.
- Claus, A., alkaloids of Peruvian bark, 183.
- cinchonidine, 620.
- cymenesulphonic acids, 174.
- potassium cyanide and ethyl dichloracetate, 798.
- quantivalence of carbon, 679.
- quinoline, 287.
- Claus, A., and C. Bäcke, phenylhomocinchonidine, 184.
- Claus, A., and R. Bock, methyl derivatives of homocinchonidine, 184.
- Claus, A., and C. Bottler, tolyl-quinines, 620.
- Claus, A., and M. Dannenbaum, ethyl derivatives of cinchonidine, 183.
- Claus, A., and R. Glassner, strychnine, 747.
- Claus, A., and J. Helpenstein, action of ammonia on ethyl dibromosuccinate, 577.
- Claus, A., and A. Hertel, anthraquinone derivatives, 737.
- Claus, A., and P. Himmelmann, quinoline, 182.
- — reduction of quinoline, 441.
- Claus, A., and Kemperdick, ethyl derivatives of cinchonine, 289.
- Claus, A., and A. Lade, action of bromine on orthonitrobenzoic acid, 814.
- Claus, A., and G. Lischke, action of potassium cyanide on ethyl chlorisocrotonate, 800.
- Claus, A., and F. Mallmann, methyl- and ethyl-derivatives of quinine, 619.
- Claus, A., and H. Müller, methyl derivatives of cinchonine, 289.
- Claus, A., and P. Rautenberg, decomposition of dimethylaniline methiodide, and ethiodide by potash, and action of amyl bromide on dimethylaniline, 584.
- Claus, A., and E. Risler, reactions of benzidine, 605.
- Claus, A., and R. Röhre, brucine, 749.
- Claus, A., and W. Treupel, benzyl derivatives of cinchonine, 290.
- Claus, A., and F. Voeller, action of ammonia on ethyl chloromaleate, 251.
- Claus, A., and M. Völtzkow, action of glacial acetic acid on phenylthiocarbimide, 591.
- Claus, A., and O. Zimmermann, action of phosphorus pentachloride on β -naphtholsulphonic acid, 914.
- Clausnizer, F., estimation of glycerol in beer, 470.

- Clémardot and others, action of light on phosphorescent bodies, 863.
- Cleve, P. T., erbium, 350.
— oxidation of cholic acid, 749.
— oxidation-products of cholic acid, 294.
- Cloez. See Vigier.
- Coale, R. D., and I. Remsen, oxidation of sulphaminemetoluiic acid in alkaline and in acid solutions, 1038.
- Cobenzl, A., separation of tungsten from antimony, arsenic, and iron, 1171.
- Cobenzl. See also Wiedel.
- Cochin, D., nature of the alcoholic ferment, 928.
- Cohen, E., "eclogite" which occurs in the diamond mines of Jagersfontain, 552.
— lavas from Hawaii and other islands of the Pacific Ocean, 392.
- Cohn, L., phthalyl-hydroxylamine: conversion of phthalic into salicylic acid, 585.
- Cohn, E., resistance of polarised cells, 958.
- Colley and Vakovitch, preparation of sucrose from glucose, 402.
- Collie. See Letts.
- Collier, P., analysis of a mineral resembling thorite, 1009.
— development of sugar in sorgho, 634.
- Collins, J. H., crystophite from St. Agnes, Cornwall, 360.
— penwithite, a new Cornish mineral, 389.
- Colson, A., action of sulphur on water, 21.
— extraction of phosphoric acid, 320.
- Comstock. See Allen; also Brush.
- Coninck, O. de, bases of the pyridene series, 56.
— dimethylresorcinol, 269.
— fractional distillation of crude quinoline, 612.
— lutidine aurochloride, 288.
— preparation of ethyl-vinyl hydrocyanide, 239.
— pyridine bases, 443.
- Conroy, M., adulteration of olive oil, 9:6.
- Conrad, M., ethyl chloromalonate, 577.
— synthesis of cinnamic and phenylacetic acids from ethyl malonate, 168.
- Conrad, M., and M. Guthzeit, barbituric acid, 1033.
- Constam. See Meyer.
- Cooke, J. P., argento-antimonious tartrate, 419.
- Cooke, J. P., atomic weight of antimony, 512.
— oxidation of hydrochloric acid solutions of antimony in the atmosphere, 513.
- Cooper. See Wanklyn.
- Cornwall, H. B., gallium in American blenders, 997.
- Corsi, A., occurrence of prehnite in Tuscany, 26.
- Cosiner, C., derivatives of β -naphthylamine, 605.
- Cossa, A., composition of Tuscan serpentines, 1012.
— corundiferous felspar of Biella in Piedmont, 384.
— didymium tungstate, 225.
— distribution of the cerite metals, 224.
— euphotite of Elba, 537.
— green garnet from Val Malenco, 235.
— peridotiferous diabase of Mosso in the Biellese, 388.
— rutile in Gastaldite—eclogite from Val Tournanche, 370.
— serpentine from Verrayes in the valley of Aosta, 693.
- Cotton. See Cazeneuve.
- Couneler, C., methyl carbonate, 251.
- Couttolenc, G., evaporation of glycerol, 1084.
- Couty. See D'Arsonval.
- Cox, E. T., extensive lodes of antimony oxide at Sonora, Mexico, 518.
- Crafts, J. M., cause of variation of the fixed points of thermometers, 342.
— defects of the mercurial thermometer, 5.
— rise of the zero point in mercury thermometers, 4.
- Crafts, J. M., and F. Meier, density of iodine vapour, 221.
- Crafts. See also Friedel.
- Crookes, W., discontinuous phosphorescent spectra in high vacua, 773.
— on a fourth state of matter, 971.
— on discontinuous phosphorescence in high vacua, 957.
— on heat conduction in highly rarefied air, 968.
— viscosity of gases, 678.
— viscosity of gases at high exhaustion, 971.
- Cross, C. F., new demonstration of carbonic anhydride in the breath, 1175.
- Cross. See also Bevan.
- Cumenge, E., guejarite, a new mineral species, 517.
- Curie, J. and P., development of electric polarity by pressure in hemihedral crystals with inclined faces, 2.

- Curie, J. and P., electrical phenomena of tourmaline and hemihedral crystals with inclined faces, 339.
 —— laws of the development of electricity by the action of pressure in tourmaline, 338.
 —— polar electricity of hemihedral crystals with inclined faces, 338.
 Curtius, T., action of benzoic chloride on glycocine silver, 1144.
 —— contribution to the knowledge of polythionic acids contained in Wackenroder's solution, 1098.

D.

- Dalkowski, quantitative estimation of chlorides in urine, 643.
 Damoiseau, A., action of phosphorus on hydriodic and hydrobromic acids, 222.
 —— chlorine and bromine derivatives of methane, 237.
 Damour, A., note on a chromiferous garnet found on the Pic Posets near the Maladetta (Pyrenees), 376.
 —— note on titaniferous peridotite from Zernatt, 693.
 —— note on venasquite, 379.
 —— note on zinc spinelle from Brazil, 696.
 Damour and Des Cloizeaux, hoperite, 366.
 Damour. See also Des Cloizeaux; and v. Rath.
 Dana. See Brush.
 Danesi. See Mauro.
 Danilewski, a crystalline decomposition product of albuminous substances, 185.
 Danilewski and P. Badenhausen, albuminoids in milk, 449.
 Dannenbaum. See Claus.
 Darby, S., fluid neat, 450.
 D'Arsonval, A., animal heat, 1049.
 —— voltaic cells, 3.
 D'Arsonval, A., and Couty, effect of maté on the gases of the blood, 1051.
 Daubrée, A., action of mineral waters on metals, 237.
 —— contemporaneous production of native sulphur in the sub-soil of Paris, 227.
 Daubrée, examination of the material of "vitrified forts" at Craig Phadrick, Inverness, 703.
 —— examination of the material of some French "vitrified forts," 394.
 —— on a meteorite which fell on Nov. 26, 1874, at Keribis, Côtes du Nord, 1017.
 Daubrée, A., products from a crater, 237.
 Davy. See Cameron.
 Davy, E. W., nitroprussides of the alkaloids, 401.
 Day. See Morse.
 De Chardonnet, absorption of the ultra-violet rays, 1091.
 Defresne, estimation of peptones, 947.
 Déhérain, P. P., report on the experimental plots at Grignon, 932.
 Déhérain, P. P., and Kayser, the form of combination in which phosphoric acid exists in the soil, 934.
 Déhérain, P. P., and Meyer, worthlessness of phosphates as manures for certain soils, 61.
 Déhérain, P. P., and others, cultivation of potatoes, maize, oats, and sanfoin, 455.
 Deichmüller, A., diabetic urine, 1162.
 De la Bastie, resistance of toughened glass to flexure, 478.
 Delachanal, the hot spring at Bagnoles de l'Orne, and the deposits formed in the conduits, 81.
 Delafontaine, decipium and samarium, 979.
 Delattre, C., decomposition of bicalcium phosphate, 683.
 Delbrück, M., souring of yeast, 951.
 Delbrück, M., and G. Heinzelmann, new method of fermentation, 126.
 Delesse, M., removal of earthy matters from poor lead ores by means of an air-blast, 767.
 De Leuw, composition of brandy distillery residues, 757.
 Delvaux, G., separation of nickel and cobalt, 1082.
 Demant, B., serum albumin in muscle, 630.
 Demarçay, E., action of chlorine on nitrogen sulphide, 346.
 —— new derivative of nitrogen sulphide, 222.
 —— some compounds of sulphur and nitrogen, 976.
 —— tetrolic and oxytetrolic acids and their homologues, 255.
 Demole, E., action of oxygen on the bromo-derivatives of unsaturated hydrocarbons, 142.
 Dennstedt. See Ciamician.
 Des Cloizeaux, A., on the monoclinic form to which epistilbite should be referred, 397.
 Des Cloizeaux and Damour, chalcomenite, a new mineral, 691.

- Des Cloizeaux and Damour, note on cabrerite from Laurium, 691.
- Dewalque, F., diadochite from the Vedrin mine, 999.
- Dewar, J., notes on electrolytic experiments, 962.
- studies on the electric arc, 962.
 - studies on the quinoline series, 1043.
- Dewar. See also Liveing.
- Dieulafait, existence of boracic acid in saline lakes and natural saline waters, 1019.
- law of the formation of saline mineral waters, 1018.
- Ditte, A., action of chlorine and hydrochloric acid on lead chloride, 788.
- action of hydrochloric acid on metallic chlorides, 223, 347, 785.
 - action of lead peroxide on alkaline iodides, 976.
 - compounds of hydrochloric acid with mercuric chloride, 355.
 - decomposition of salts by liquids, 17.
 - solubility of silver in presence of iodides, 1101.
- Dittmar, W., differential method of specific gravity determination, 938.
- Ditzel. See Oerum.
- Dixon, W. A., inorganic constituents of the coals of New South Wales, 983.
- on salt-bush and native fodder plants of New South Wales, 1067.
- Doassans, E., thalictrin, 52.
- Doassans, E., and E. Hanriot, a substance from *Thalictrum macrocarpum*, 52.
- Doebner, O., compounds of benzotrichloride with phenols and tertiary aromatic bases, 165.
- formation of aromatic ketonic acids, 600.
- Dölter, C., acmite and ægerine, 26.
- chemical composition of arfvedsonite and some allied minerals, 552.
 - constitution of the pyroxene group, 371.
 - new resin from Köflach in Styria, 359.
 - occurrence of propyllite in Transylvania, 698.
 - products of the volcano Monte Ferru, 700.
 - spodumene and petalite, 694.
- Domac, J., hexylene from mannitol, 1113.
- Domeyko, J., bismuth ores of Bolivia, Peru, and Chili, 998.
- crystals of metallic copper from the mines of Coro-Coro, Bolivia, 997.
- Donaldson. See Chittenden.
- Donath, E., direct estimation of alumina in presence of iron, 760.
- occurrence of arsenic and vanadium in commercial caustic soda, 856.
 - separation of silver from lead, 760.
 - volumetric determination of chromium and manganese in presence of ferric oxide and alumina, 760.
 - physiological and physiogeochemical effects of quinoline, 298.
- Doremus, C. A., Wilkinson's process of making illuminating gas from wood, 769, 954.
- Dorp. See Hoogewerff.
- Dott, D. B., meconic acid, 418.
- Doudouy. See Godefroy.
- Douglas, J. C., the phenomenon commonly called the "cry of tin," 783.
- Downes, A., a simple process of slow actinometry, 485.
- Drechsel, E., formation of urea in the animal organism, 192.
- Drews. See also Bernthsen.
- Drewsen, S., estimation of soluble phosphate in superphosphates, 465.
- Drown, T. M., determination of sulphur in sulphides, and in coal and coke, 645.
- Drown, T. N., and P. W. Shimer, estimation of silicon and titanium in pig-iron and steel, 647.
- Dubelir, D., influence of the continued use of sodium carbonate on the composition of the blood, 1161.
- Dudley, W. L., spgeline, a new volatile alkaloid, 1153.
- Dudley, W. L., and F. W. Clarke, graphite from Ducktown, Tennessee, 989.
- Dudoüy, A., manuring of beetroot, 61.
- Dühring, U., the law of corresponding boiling points, 71.
- Dünkelberg and others, artificial manures, 304.
- Dufet, H., optical properties of mixtures of isomorphous salts, 2.
- Dumas, gases occluded in aluminium and magnesium, 350.
- Dunnington, F. P., microlite from Amelia Co., Virginia, 1002.
- Dupré, A., an accurate perception of colour-change in titration, 121.
- Durin, inversion of sugar during manufacture, 127.
- Durst, O., microscopic researches on yeast, 835.
- Duvillier, E., amido-acids derived from isohydroxyvaleric acid, 713.
- amido-acids of α -hydroxybutyric acid, 87.
- Duvillier, E., and A. Buisine, action

of methyl bromide and methyl iodide on monomethylamine, 33.

Duvillier, E., and A. Buisine, separation of compound ammonias, 1025.

— — — separation of trimethylamine from the commercial product, 419.

Dyer, B., analysis of milk, 1176.

E.

Eckenbrecher, C. v., changes produced by the weathering of phonolite, 700.

— — — metamorphosis of nepheline rocks, 1013.

Eckstein, A., use of parchment-paper in osmose, 952.

Eder, J. M., ammonium bromide, 682.

— — aqueous shellac varnish, 482.

— — aqueous varnish for prints on unglazed paper, 212.

— — decomposition of ferric chloride and some ferric salts of organic acids by light, 670.

— — new developers for silver bromide dry plates, 317.

— — photochemistry of silver bromide, 762.

Eder, J. M., and E. Valenta, iron oxalates and some of their double salts, 713.

Eggertz, determination of phosphorus in iron and iron ores, 465.

Eisenberg, L. J., separation of trimethylamine from the commercial hydrochloride, 246.

— — ferrocyanides of amines, 261.

— — methylamine in commercial trimethylamine hydrochloride, 83.

Eitner, W., preparation of leather, 859.

Elander, S. U., action of sulphonate chlorides on urea, 164.

Eltékoff, atomic migration, 400.

Emken, F., influence of malt liquors on digestion, 752.

Emmerling, A., determination of the relative values of precipitated and soluble phosphates, 309.

— — the loss which newly mown grass suffers when exposed to rain, 455.

Endemann, H., composition of ultramarine, 509.

Engler, C., and R. Haass, apparatus for testing the inflammability of petroleum, 469.

Engel M., and J. Ville, solubility of magnesium carbonate in water charged with carbonic acid, 1102.

Engel, R., manufacture of potassium carbonate, 1087.

Engel, R., phenol in the animal economy, 114.

— — — platinous hyposulphite, 226.

Engel and Moitessier, dissociation of butylchloral hydrate, 407.

Erdmann, E. O., anhydrous milk-sugar, 151.

Erhard, T., and A. Stelzner, fluid enclosures in topaz, 25.

Erlenmeyer, E., action of dehydrating agents on glyceric and tartaric acids, 417.

Erlenmeyer. See also Antz.

Esbach, G., urea, sugar, and sodium hypobromite, 316.

Étard, A., action of ammonium chloride on glycerol, 708.

— — — chlorochromic acid as an oxidising agent, 581.

— — — homologue of pelletierine, 1046.

— — — position of boron in the series of elementary bodies, 20.

Étard, A., and H. Moissan, preparation of hydrogen selenide and hydrobromic acid, 18.

Étard. See also Cahours.

Etti, C., quercitannic acid, 277.

Exner, F., galvanic polarisation, 775.

— — — production of electricity by contact of heterogeneous metals, 864.

— — — theory of inconstant galvanic cells, 866.

— — — theory of the galvanic couple, 335.

Eykman, J. F., *Illicium religiosum*, 918.

F.

Fahlberg, C., α -toluenedisulphonic acid and its derivatives, 816.

Faninitzin, A., intensity of light and liberation of carbonic anhydride by plants, 1060.

Farsky, F., potash salts as a manure, 1072.

Fassbender, G., analyses of fodder, 1165.

— — — quantitative determination of albumin by cupric hydrate, 205.

Feder and Voit, formation of urea from ammonia salts of organic acids, 453.

Fenton, H. J. H., tartaric acid reaction, 655.

Fernbach, A., action of soda on glycerol, 145.

Festing. See Abney.

Feuerlein. See Herzfeld.

Field, F., detection of iodine in urine, 644.

- Field, F., detection of small quantities of platinum, 649.
 — laboratory observations, 644.
- Field. See also Jackson.
- Fievez, C., relative intensity of the spectral lines of hydrogen and nitrogen: its bearing on the constitution of nebulæ, 69.
 — spectrum of magnesium and constitution of the sun, 955.
 — widening of the hydrogen lines, 955.
- Fileti, M., distillation of cotarnine with zinc, 446.
 — notes on gas analysis, 462.
 — two modifications of amidocumic acid and acetamidocumic acid, 424.
- Filhol, E., felspars from the valley of Bagnères de Luchon, 692.
- Filhol, E., and Senderens, a new series of phosphates and arsenates, 1101.
 — — — action of sulphur on certain metallic solutions, 1097.
- Finot. See Bertrand.
- Fischer, E., caffeine, 614.
 — dry distillation of wood, 332.
 — orthohydrazine-cinnamic acid, 598.
 — separation and estimation of arsenic, 195.
- Fischer, E., and H. Troschke, amarine and lophine, 51.
- Fischer, F., deposphorising of pig-iron, 326.
 — zinc distillation, 325.
- Fischer, H., miscellaneous contributions to microscopical mineralogy, 990.
 — resorcinolsulphonates, 1147.
- Fischer, O., condensation-products of aromatic bases, 587.
- Fischer. See also Bedall.
- Fisher, E. and O., rosaniline, 162.
- Fittbogen, J., manuring potatoes, 305.
- Fittbogen and others, manuring experiments with phosphoric acid in different combinations, 1072.
- Fittica, J., a fourth mononitrophenol, 46.
 — new nitrophenols, 47.
- Fittig, R., isotropic acid, 425.
- Fitz, A., double salts of the lower members of the acetic acid series, 797.
 — fermentation of normal valeric acid, 798.
- Flavard. See Lepine.
- Flavart, apparatus for the estimation of nitrogen in organic compounds, 192.
- Flavitzky, F., commercial lemon oil, 437.
- Flavitzky, F., the terebenthenes, 437.
- Flavitzky, N., specific heat of gases and vapours, 340.
- Fleischer, insoluble phosphate estimation, 645.
 — manure, 640.
- Fleischer, M., injurious effect of kainite and superphosphate on the germination of potatoes, 300.
- Fleischer, R., influence of alcohol, beer, and wine on digestion, 752.
- Fleischmann, W., and P. Weith, quantity and quality of milk yielded by different races of cows, 630.
- Fleissner, F., tribenzylphosphine oxide, 263.
- Flekkel, extraction of potash from suint of Russian wool, 475.
- Fleury, G., sodium arsenate, 141.
- Flückiger, F. A., Cananga oil, 916.
 — testing mustard oil, 125.
 — testing Peru balsam, 947.
- Folkard, C. W., crystallised double sulphate of calcium and sodium, 509.
- Forbes. See Young.
- Forcand, hydrate of methyl iodide, 32.
- Forquignon, L., malleable cast-iron, 766.
- Forst, C., and C. Böhringer, cinchotine, 620.
 — — — cinchotine and hydrocinchonidine, 830.
- Forster, J., composition of human milk, 630.
- Fouqué, F., hypersthene from the pumice of Santorin, 388.
 — Santorin and its eruptions, 555.
- Fouqué, F., and A. M. Lévy, artificial production of ophitic structure, 697.
- Fiedler, influence of sodium nitrate on absorption of phosphoric acid and potash, 457.
- Franchimont, acetic derivative of cellulose, 709.
 — action of sulphuric acid on acetic anhydride, 716.
- Frank, E., synthesis of glyceric acid from monochlorolactic acid, 416.
- Fraude, G., test for quebracho bark, 473.
- Freida, G., antimonious acid, a Vesuvian product, 518.
- Fresenius, H., solubility of cadmium sulphide in ammonium sulphide, 941.
 — specific gravity of potatoes, 932.
- Fresenius, W., phillipsite and its relations to harmotone and desmin, 695.
- Friedel, C., crystalline form of quebrachite, 517.
- Friedel, C., and M. Balsohn, action

- of ammonia on monobromodiphenylmethane, 279.
- Friedel, C., and M. Balsohn, action of ethylene bromide on toluene in presence of aluminium chloride, 259.
- — — action of sulphuric acid on phenylacetylene, 279.
- — — oxidation of triethylbenzene, 260.
- — — synthesis of diphenylacetic acid, 273.
- Friedel, C., and J. M. Crafts, compounds of phthalic anhydride with hydrocarbons of the benzene series, 731.
- — — synthesis of hexamethylbenzene and of mellitic acid, 40.
- Friedel, C., and E. Sarasin, artificial libeshenite, 367.
- — — artificial production of crystallised quartz, 346.
- — — artificial production of a felspathic substance, 383.
- Friedrich, A. R., action of potash on bromomethacrylic acid, 413.
- Friedrich, R., dichloraldehyde hydrate, 407.
- dry distillation of potassium dichloracetate, 408.
- Fromme, C., electromotive power of galvanic combinations consisting of zinc, sulphuric acid, and platinum, or copper, gold, and carbon, 490.
- Fürst, E., action of chlorine tetroxide on potassium permanganate, 353.
- chlorine tetroxide and ethylene, 399.
- Funaro, A., decomposition of calcium succinate by heat, 1031.

G.

- Gabriel, S., a base from phthalimide, 263.
- phthalic anhydride condensation-products, 733.
- sulphonacetic acid, 716.
- Gabriel, S., and J. Zimmermann, dinitrohydrocinnamic acid and its derivatives, 274.
- Gabriel, S., and R. Meyer, dinitro-phenylacetic acid, 729.
- Gäbler. See Otto.
- Galle, J. G., fall of meteorites at Gnadefrei in Silesia, 395.
- Galloway, W., influence of coal-dust in colliery explosions, 950.
- Gamgee, A., and E. Blankenhorn, the existence of Liebreich's protagon in the brain, 1047.
- Gantter, F., and C. Hell, azelaic acid, 578.

- Gantter, F., and C. Hell, separation of suberic and azelaic acids, 891.
- Gaudich and others, manuring experiments on oats, 1077.
- Gautier, A., isomerides of phloroglucol, 272.
- Gayon, U., influence of succinic acid on the fermentation of cane-sugar, 836.
- — — recovery of cane-sugar from molasses by fermentation, 480.
- — — spontaneous changes in raw sugar, 332.
- Geissler, E., examination of pressed yeast, 1183.
- Génay, P., experiments with artificial manures, 641.
- Genth, F. A., pyrophillites from Schuykill Co., Pennsylvania, 378.
- — — Spanish minerals, 1110.
- Gerber, N., and others, milk analysis, 657.
- Gerichten, E. v., apophyllic acid, 110.
- cotarnine, 445.
- Germain, R., a photoelectric regulator for painted glass furnaces, 125.
- Geuther, A., conversion of chloroacetic acid into formic acid, 248.
- Giacosa. See Nencki.
- Girard, C., and J. A. Pabst, applications of lead chamber crystals, 476.
- Girard, J., propylacetal and isobutylacetal, 34.
- Girardon, J., artificial production of vivianite, 1000.
- Girardin. See Bénard.
- Giraud, E., indoline, 51.
- Gladding, T. S., estimation of carbonic anhydride, 944.
- Gladstone, J. H., refraction equivalents of the diamond and of carbon compounds, 333.
- — — specific refraction and dispersion of isomeric bodies, 213.
- — — the refractive equivalents of carbon, hydrogen, oxygen, and nitrogen in organic compounds, 958.
- Gladstone, J. H., and A. Tribe, thermal electrolysis, 868.
- Glassner. See Claus.
- Glenck, C., preparation of aniline black, 1186.
- Godefroy, J., and A. Doudouy, cultivation of various kinds of beet, 117.
- Göring. See Laubenheimer.
- Goldschmidt, G., iodyl, 283.
- Goldschmidt, G., and M. Schmidt, examination of "Stuppfeft," 828.
- Goldschmidt, H., action of molecular silver on carbon chlorides, 707.
- — — an acoustic method of determining vapour-densities, 12.

- Goldschmidt, H., Gay-Lussac's hypochloronitric anhydride, 506.

Goldstein, oxidation of ketones, 423.

Goloubeff, dinitro-derivative of deoxybenzoin, 422.

Gonnard, F., a new locality of szaboite, 378.

Gooch, F. A., estimation of phosphoric acid as magnesium pyrophosphate, 1168.

Gore, G., chemico-electric relations of metals in solutions of potassium salts, 962.

— effects of electric currents on the surfaces of mutual contact of aqueous solutions, 962.

— electric currents caused by liquid diffusion and osmose, 963.

— experiments on electric osmose, 963.

— influence of voltaic currents on the diffusion of liquids, 963.

— thermoelectric behaviour of aqueous solutions with platinum electrodes, 963.

Goroff, N. E., telluric rays of the solar spectrum, 1091.

Goettwalt, E., quantitative analysis of the albuminoids of the kidney substance, 661.

Gouy, measurement of the intensity of some obscure rays in the solar spectrum, 333.

Graebe, C., reactions of naphthol, 177.

Graebe, C., and J. Walter, picene, 284.

Graebe. See also Brunck.

Graeff, F., naphthalene derivatives, 822.

Grahl. See Krockier.

Grandeau, L., and A. Leclerc, composition of oats, 116.

Grattarola, G., rosterite, a new variety of beryl from Elba, 1009.

Grawitz, P., behaviour of fungi in the animal system, 930.

Greenish, H. G., Cape tea, 441.

— *Nerium odorum*, 916.

Griesmayer, V., valuation of barley, 946.

Griess, P., benzene sulphonic acid, 428.

— β -naphtho- naphtho- sulphonic acid, 428.

— dihydro- naphtho- sulphonic acid, 428.

Grimaux, E. morphine, 100

— some reac- anal derivatives of

congeners, 100

— transform- morphine and its

codeine and of morphine into

gous bases, 829.

Grimaux, E., and P. Adam, chloropropaldehyde, 888.

— — — derivatives of acrolein, 406.

— — — dibromopropaldehyde, 1029.

Grimmer, H., the decrease of nitrogen in malt-wort during fermentation, 331.

Grobert. See Pellet.

Gröger, M., chromium sulphides, 225.

Gröger. See also Bauer.

Grote, A., E. Kehrer, and B. Tollens, preparation and properties of levulinic or β -acetopropionic acid, 409.

Grote, A., and B. Tollens, formation of levulinic acid from dextrose, 410.

Groves, R. H., Bornträger's aloes test, 946.

Gruber, estimation of nitrogen from the animal body, 451.

— influence of borax on the decomposition of proteinoids, 453.

— poisoning by carbonic oxide, 1086.

Grübler, G., crystallisable albumin from pumpkin seeds, 625.

Grüneberg, H., preparation of potassium sulphate from the salts of the Stassfurt deposits, 855.

Gruner, L., artificial pyroxene (diopside), 694.

Grupe, A., and B. Tollens, action of ammonium citrate on phosphates, 845.

— — — action of citric acid on phosphates, 759.

Grupe, A., and others, estimation of retrograde phosphoric acid, 62.

Gucci. See Barbaglia.

Gümbel, C. W., fossil plants from the carboniferous strata of the Tarentaise, 390.

— rocks of Kerguelen's Land and the neighbouring islands, 391.

Guenge, isodimorphism of arsenious and antimonious oxides, 791.

Gürke, O., α - and β -ethyl dibenzoylhydroxamate and α - and β -ethylbenzoylhydroxamic acid, 584.

— ethylhydroxylamine, 571.

Gundelach. See Michael.

Gustavson, G., action of alcoholic bromides and of hexbromethane on paraffins in presence of aluminium bromide, 399.

— reactions of aluminium chloride and bromide with organic compounds, 398.

Guthzeit, M., cetyl- and diethyl-acetic and malonic acids, 408.

Guthzeit. See also Bischoff and Conrad.

H.

- Haass, R., lecture experiment, 133.
 Haass. See also Engler.
 Haberlandt, G., colour of clover seed, 837.
 Habermann, electrolysis of organic substances in aqueous solutions, 215.
 Habernehl, H., composition of magnetic pyrites, 516.
 Haedicke, H., spontaneous ignition of coal, 482.
 Hagen. See Müller.
 Haitinger, L., nitro-olefines, 1114.
 Halberstadt, W., action of bromine on paranitrobenzoic acid, 729.
 Halberstadt, W., and M. A. Reis, haematin, 611.
 Hall, L. B., and I. Remseau, oxidation of mesitylenesulphonamide, 820.
 Haller, A., cyano-camphor, 1041.
 Hallock, E. J., bromnitro- and chloronitro-phenetols, 595.
 Hamlet, W. M., estimation of fat in milk, 656.
 Hammersten, O., a new oxidation product of cholic acid, 624.
 Hampton, F., existence and properties of phosphorus pentiodide, 507.
 Hankel, G. W., development of polar electricity in hemimorphous crystals by alteration of pressure, 958.
 —— photoelectric and thermoelectric properties of fluorspar, 215, 337.
 Hannay, J. B., absorption of gases by solids, 872.
 —— artificial formation of pyrolusite, 353.
 —— on the absorption of gases by solids, 971.
 —— on the artificial formation of the diamond, 1019.
 —— on the limit of the liquid state, 971.
 Hannay, J. B., and J. Hogarth, on the solubility of solids in gases, 970.
 Hanriot, action of hydrochloric acid on aldehyde, 404.
 Hanriot. See also Doassans.
 Hans, R., inflammability of vegetable substances with nitric acid, 771.
 Hansel, V., petrographic constitution of the monzonite of Predrazzo, 27.
 Hantzsch, A., action of commercial trimethylamine on β -naphthol, 177.
 —— condensation products from aldehyde-ammonia and ketone derivatives, 1028.
 —— parahydroxyphenol and some aldehydes and alcohols derived from quinol, 166.
 Hargreaves, J., manufacture of sodium sulphate by the direct process, 664.
 Harland. See Wigner.
 Harnack, E., ditaine, 109.
 Harmsen, W., nitrometaxylenesulphonic acid, 49.
 Harrington, B. J., minerals of some of the apatite-bearing veins of Ottawa Co. Quebec, 542.
 Harris, W. E., a new meteoric iron from North Carolina, 1017.
 Hart, E., nitrososulphobenzoic acids and some of their derivatives, 1144.
 Hart, P., sulphuretted hydrogen apparatus, 787.
 Hartley, W. N., and A. K. Huntington, researches on the action of organic substances on the ultra-violet rays of the spectrum. Part III. An examination of the essential oils, 957.
 Hartwig, E. C., oil of wine, 794.
 Harvey, S., detection of lead in potable waters, 1173.
 Harz, C. O., cultivation of soja bean, 116.
 Haswell, A. E., quantitative determination of phosphorus and silicon in iron and steel, 194.
 Haswell, E., titration of iron with sodium thiosulphate, 849.
 Haughton, T. S., mineralogy of the counties of Dublin and Wicklow, 382.
 —— note on an olivine-gabbro from Cornwall, 388.
 Hausmann, O., determination of undecomposed fat in mixtures of fatty acids, 762.
 Haushofer, K., oligoclase from Dürrenmosbach, 386.
 Hautefeuille, P., a potassio-ferric silicate, analogous to leucite, 389.
 Hautefeuille, P., and J. Chappuis, liquefaction of ozone and its colour in the gaseous state, 18.
 —— liquefaction of ozone in presence of carbonic anhydride: its colour in the liquid state, 786.
 —— nitrification, 221.
 —— researches on the silent electric discharge, 3.
 —— spectra of compound gases and a new compound of nitrogen and oxygen, 221.
 Hautefeuille. See also Cailletet and Troost.
 Hayduck, M., determination of starch in pressed yeast, 943.
 —— influence of Rochelle salt on the activity of yeast, 1058.
 Hawes, G. W., a group of eruptive rocks in Campton, New Hampshire, 701.

- Heddle, M. F., haughtonite, a new mica, 385.
- Heine, F., cultivation of several varieties of potatoes, 301.
- new English kinds of wheat, 1065.
- Heintz, W., an acetone base containing sulphur, 420.
- triacetonediamine, 420.
- Heinzelmann. See Delbrück.
- Hell, C., new method of brominating organic acids, 711.
- occurrence of a fatty acid in beechwood tar paraffin, 249.
- Hell, C., and O. Hermann, lignoceric acid, 249.
- Hell. See also Ganter.
- Helmhacker, R., minerals of the clay group, 540.
- Helpenstein. See Claus.
- Hemilian, diphenylenephenylmethane and diphenylenecresylmethane, 434.
- diphenylparaxylmethane and diphenylnaphthylmethane, 434.
- Hempel, W., estimation of nitroglycerol in dynamite, 472.
- Henry, L., action of hypochlorous acid on propargylic compounds, 1120.
- allyl iodide and monobromallyl alcohol, 567.
- dipropargyl, 565.
- pyruvic alcohol and its derivatives, 1121.
- Hepp, P., oxidation of di- and tri-nitrobenzene, 261.
- Hepperger, J., influence of concentration of the solution on the electromotive force of a Daniell's cell, 335.
- Hercher, R., and P. Wagner, employment of ammonium citrate in examination of phosphates in manure, 846.
- Hermann. See Hell.
- Heron. See Brown.
- Hertel. See Claus.
- Hertler. See Salomon.
- Herth, R., synthesis of biguanide, 896.
- Herzfeld, A., effect of diastase on starch-paste, 1024.
- Herzfeld, A., and G. Feuerlein, estimation of reduced and precipitated phosphates, 940.
- Herzig. See Barth.
- Heumann, K., action of the air in rendering the flame of the Bunsen lamp non-luminous, 773.
- nomenclature of some azo-compounds, 163.
- some ultramarine compounds, 351.
- Hess, C., amidotoluene sulphhydrate, 596.
- Hess. See also Rohl.
- Hesse, O., alkaloids from dita bark, 448.
- alkaloids of *Alstonia constricta*, 623.
- bark of *Alstonia spectabilis*, 447.
- calycin, 180.
- cinchamidine, 1045.
- cinchonidine and homocinchonidine, 291.
- cinchonine, 288.
- conquinamine, 1156.
- constitution of some alkaloids of the cinchona bark, 615.
- methyl ether of morphine, 1153.
- new platinochlorides of cinchona alkaloids, 922.
- optical estimation of cinchonidine in commercial quinine, 315.
- propionylquinine, 620.
- quinamine, 922.
- relation of echitamine to ditaïne, 184.
- the bark of *Aspidosperma quebracho*, 294.
- the officinal test of quinine, and water of crystallisation of quinine sulphate, 63.
- Hesse, W., quantitative estimation of dust in workshops, 761.
- Hidden, W. E., meteorite from Cleborne Co., Alabama, 394.
- notes on mineral localities in North Carolina, 1109.
- Hidegh, K., chemical analyses of Hungarian fahl-ores, 360.
- Hilgard, E., aggregation of small particles, 970.
- Hill, A., estimation of tannin in tea, 1176.
- Hill, H. B., mucobromic acid, 36.
- structure of disubstituted acrylic acids, 1030.
- Hill, H. B., and C. W. Andrews, dibromacrylic acid, 1030.
- Hill, H., and C. F. Mabery, substituted acrylic acids from bromopropiolic acid, 1124.
- — — tetrasubstitution derivatives of propionic acid, 1029.
- Hill. See also Mabery.
- Himmelmann. See Claus.
- Hinteregger. See Malay.
- Hirsch, A., quinonechlorimide and similar substances, 163.
- Hirschlöhn, E., comparative experiments on the behaviour of thymol and phenol with different reagents, 942.
- Hjelt, E., a neutral bromide from diallylmalonic acid, 577.
- action of water on ethyl malonate at high temperature, 155.
- dioxyadipic acid, 256.

- Hjortdahl, T., mineral analyses, 698.
- Hochstetten, F. v., covellin occurring as encrusting pseudomorph on a bronze Celtic axe found on the Salzberg, 227.
- Högberg, A., fluo-salts of tellurium, 223.
- Hönig, M., action of oxalic and sulphuric acids on naphthol, 280.
- new isomeride of gluconic acid, 893.
- Höpfner, C., the rock of Monte Tambjumbin in Peru, 1015.
- Hoermann, J. v., symmetrical β -dichloracetone, 248.
- Hoffmann, C., Canadian apatite, 525.
- Canadian minerals, 545.
- Hofmann, A. W., action of heat on amines, 621.
- action of heat on the ammonium bases, 570, 765.
- estimation of small quantities of carbon bisulphide, 308.
- hexmethylbenzene, 260.
- pyridine bases, 921.
- Hofmann, A. W., and W. v. Miller, cresol derivatives, 592.
- Hofmeister, F., chemical structure of collagen, 294.
- Hogarth. See Hannay.
- Hogg, T. W., condition of carbon in steel and the effect of hardening upon it, 478.
- Hoglan, P., stability of calomel, 512.
- Holdefleiss, F., analyses of pond slime, 61.
- examination of linseed cake and meal, 636.
- Holden, L. H., *Aralia spinosa*, 105.
- Holtz, W., some remarkable phenomena with flames, 489.
- Holzbecher, H., influence of oxygen on the clarifying of beer, 951.
- Holzhauer, W. C., *Eriodictyon Californicum*, 105.
- Hoopewerff, S., and W. A. v. Dorp, lepidine, 109.
- pyridene- and methylpyridine-carboxylic acid, 611.
- pyridinecarboxylic acid, 744.
- Hoorweg, J. L., thermic theory of electricity, 70.
- thermic theory of polarisation, 777.
- Hopkinson, J., dielectric capacity of liquids, 963.
- the electrostatic capacity of glass, 963.
- Hoppe-Seyler, F., fermentation of glycerol, 82.
- Horstmann, A., application of the second proposition of the theory of heat to chemical phenomena, 777.
- Houzeau, A., amount of iron in the mineral waters of Rouen and Forges-les-Eaux, 397.
- Hübl. See Benedikt.
- Hübner, H., anhydro-compounds, 1130.
- formulæ of maleic and fumaric acids, 254.
- Hübner, H., and Lellmann, di-iodo-propyl alcohol and moniodallyl alcohol, 242.
- Hüfner, G., crystalline haemoglobin, 625.
- researches on the physical chemistry of blood, 111.
- Huggins, W., luminous spectrum of water, 1.
- on the photographic spectra of stars, 956.
- on the spectrum of the flame of hydrogen, 957.
- photographic spectra of stars, 485.
- Hughes, J., analysis of shoddy and wool waste, 661.
- Hulwa, F., analysis of the Kanizer or Kainzer spring, 30.
- Curaçao guano, 61.
- Huntington. See Hartley.
- Husemann, T., ptomaines considered in relation to forensic chemistry and toxicology, 57.
- Hussak, E., the so-called "Hypersilene-andesite" from St. Egidi, in Untersteinmark, 695.

I.

Ihle. See Reinhardt.

Iles, M. W., lead chlorobromide, 789.

— decomposition of slags and silicates, 645.

Imbert. See Cazeneuve.

Inostranzeff, A., a new variety of native carbon, 357.

Isambert, vapour of ammonium dihydro-sulphide, 673.

Issleib, M., the bitter principle and resin of hops, 101.

J.

Jackson, C. L., curcumin, 610.

Jackson, C. L., and A. W. Field, parachlorobenzyl compounds, 803.

Jackson, C. L., and J. F. White, parachlorobenzyl compounds, 806.

— synthesis of anthracene and phenanthrene from orthobromobenzyl bromide, 822.

- Jackson, O. R., methylketone, 734.
 — tetrahydromethyl-quinoline, 742.
 Jacobs, F., and others, experiments with potatoes, 932.
 Jacobsen, O., anhydrosulphonamine-isophthalic acid, 51.
 — hydroxymesitylenic acid from xylonol, 599.
 — hydroxytoluic and hydroxyphthalic acids, 599.
 — hydroxyuvic acid, 172.
 — sulphamine- and hydroxy-acids derived from mesitylene, 429.
 Jacobsen, O., and H. Lönnies, α -isophthalosulphonic acid, 50.
 Jacobsen, P., β -derivatives of naphthalene, 736.
 Jacobsen. See also Struve.
 Jäckel-Handwerk, prevention of the occurrence of lactic acid in beer, 857.
 Jäderholm, A., metahæmaglobin, 185.
 Jahn, H., decomposition of simple organic compounds by zinc-dust, 141.
 Jahns, E., some constituents of the essential oil of *Origanum vulgare* and *Thymus Serpyllum*, 95.
 Jannasch, P., and C. Stünkel, crystallisation of α - and β -dinitroparaxylen, 808.
 Jannettaz, E., colours of the diamond in polarised light, 357.
 Janovsky, J. V., alteration of molecular weight and molecular refractive power, 862.
 — optical constants, 215.
 Janssen, J., changes of photographs by the prolonged action of light, 1179.
 — inversion of photographic images by the prolonged action of light, 1.
 Jay, H., detection of alcohol in transparent soaps, 314.
 Jehle. See Brier.
 Jezler, composition of Weldon-mud and similar substances, 323.
 Joannis, lead, cadmium, and mercury oxycyanides, 1116.
 Jobst, J., crystalline quinoïdine borate, 56.
 John, K., halloysite from Tüffer, 693.
 Johnson, S. W., and R. H. Chittenden, distribution of arsenic in the animal body, 1082.
 Johnstone, W., chalybeate spring, Kingstead, St. Edmund's, 1112.
 Jüinemann and C. Scheibler, separation of sugar from molasses, 128.
 Julien, A. A., spodumene and its alterations, 1005.
 Jurisch, K. W., oxidation of soda liquors, 765.

K.

- Kabloukoff, triacetin, 408.
 Kahlbaum, G. W. A., polymerides of methyl acrylate, 250.
 Kajander, rate of solution of magnesium in different acids, 344.
 Kalkowsky, E., piperino, 699.
 Kalmann. See Oser.
 Kamenski. See Wallach.
 Kapoustin, M., rapid estimation of atmospheric carbonic anhydride, 204.
 Kariof, K., derivatives of dimethyl-quinol, 272.
 — dipropylresorcinol and some of its derivatives, 269.
 Kust, H., atrolactic, phenyllactic, and atroglyceric acids, 427.
 Kayser. See Déhérain.
 Kebler. See Clarke.
 Kedzie, R. C., hurtful action of potato sugar, 770.
 Kehler, E. A., and B. Tollens, conversion of levulic acid into normal valeric acid, 411.
 — — hydrocarbons obtained as by-products in the decomposition of levulic acid by hydroic acid, 399.
 Kehler. See also Grote.
 Kekulé, A., synthesis of citric acid, 256.
 Kekulé, A., and R. Anschütz, Tanatar's dioxyfumaric acid, 156.
 — — Tanatar's trioxymaleic acid, 714.
 Kelbe, W., occurrence of an aromatic hydrocarbon, $C_{11}H_{16}$, in rosin oil, 809.
 Keller-Eberstadt, A., flesh-meal as fodder, 302.
 Kellner, O., changes produced in beet-leaves by fermentation, 302.
 — comparison of the influence of field beans and lupines on the production of milk, 927.
 — purification and digestibility of lupines, 888.
 — relations between work and the decomposition of food in the body, 114.
 — researches on the digestion of proteins, 296.
 Kemperdick. See Claus.
 Kennepohl, G., nitrogenous constituents of excrements, 1058.
 Kern, E., and H. Wattenberg, duration and composition of the increase in live weight of lambs when fattening, 450.
 Kern, S., manganese in steel, 950.
 — note on Siemens-Martin steel, 667.
 Kerner, G., testing commercial sulphate of quinine for foreign alkaloids, 63.

- Kessler, F., employment of potassium permanganate in quantitative analysis, 843.
- Kilian, H., identity of arabinose and lactose, 243.
— inulin, 243.
— oxidation of lactose and lactonic acid by silver oxide, 243.
— potassium lactonate, 580.
— preparation of glycollic acid from sugar, 251.
- Kittler, E., differences of electric tension between liquids in contact, with special reference to the state of concentration, 491.
- Kjeldahl, N. J., fermenting power of diastase, 115.
- Klein, D., a solution of density 3.28 suitable for mineral analyses, 1168.
— borodecitungstic acid, 24.
— — — and its sodium salts, 23.
— cadmium borotungstate, 879.
— sodium borotungstate, 224, 879.
— titanoborates, 880.
- Klein, G., experiments on sugar-beet, 301.
- Klimenko, H., isomerides of lactic acid, 413.
- Klinger, H., magnitudes of affinity in carbon, 679.
- Knapp, H., action of ammonia and amines on chloroquinones, 812.
- Knauer, F., value constant for beet, 851.
- Knecht, W., and J. Unzeitig, α - and β -dinaphthylene oxide, 281.
- Knietsch. See Liebermann.
- Knop, A., artificial production of hollow pseudomorphs, 515.
- Knublauch, O., determination of ethylene and benzene vapour in coal-gas, 850.
— illuminating power of benzene, toluene, ethylene, and ether, 329.
- Koch, A., mineral and rock enclosures in the basalt of the Persaner Gebirge, 703.
- Köhler, H., action of phosphenyl chloride on some chlorides, 98.
— action of phosphorus trichloride on benzene, 91.
- Koelle, G., derivatives of naphthol, 177.
- v. Koener, pumice from Launsbach, 393.
- König, estimation of small quantities of phosphoric acid, 644.
- König, A., estimation of reverted phosphoric acid by means of ammonium citrate, 464.
— influence of ammonia on the estimation of bicalcium phosphate, 759.
- König, J., action of water in the process of irrigation, 638.
— money-value of feeding stuffs, 1067.
- Koenig, F., apparatus for studying the diffusion of carbon bisulphide in the ground, 650.
— detection of rosaniline in wine, 314.
— fermentation of tartaric acid, 256.
- Kohlrausch, O., new process of extracting tannin by means of dialysis, 858.
- Kokscharow, N., materials for the mineralogy of Russia, 523.
- Kolbe, H., destructive action of wood on salicylic acid, 212.
— di- and tri-carbinols, 82.
- Koninck, L. L. de, aluminium phosphate, 465.
— preparation of hydrochloric acid gas, 138.
— solution of bromine as reagent, 193.
- Konovaloff, D., action of nitric acid on isobutylene, 400.
— isobutylene, 400.
— vapour-tension of mixed liquids, 1093.
- Kossel, A., phenol ethers in the animal body, 631.
- Koster, A., impurities in sodium bicarbonate, 138.
- Kostitcheff, phosphoric acid in the soil, 457.
- Krakau, A., quinoline, 287.
— quinoline reactions, 655.
- Kramer, E., feeding value of Alpine hay, 1065.
- Kramps. See Aronstein.
- Kraus, C., growth of sprouts on potatoes, 60.
— influence produced on the growth of the plant by previously steeping the seed, 300.
— the influence on the growth of potato and Jerusalem artichoke plants of allowing the "sets" to decay before planting, 456.
- Kraut, K., inflammation by nitric acid, 475.
- Kraut, K., and G. Merling, addition compounds of atropic acid, 425.
- Krenner, J. A., telluric silver from Botés, in Transylvania, 364.
- Krestownikoff, M., homo-itaconic acid, 801.
- Krestownikoff. See also Markownikoff.
- Kretschy, M., kynuric acid, 827.
- Kretschy. See also Barth.
- Krocker, analysis of seeds of plantains, 1066.

- Krocker and H. Grahl, manuring experiments with various phosphates, 1167.
- Krusemärk, P., citraconic and mesaconic acids, 416.
- Krutzig, J., action of chlorine on inorganic silver salts, 354.
- Kühn, J., investigation into the cause of beet sickness in soils, 634.
- prevention of lupine-sickness, 934.
- Kühlz, E., action of mineral acids on glycogen, 569.
- amount of glycogen in the liver and muscles after death, 628.
- does glycogen occur in the blastoderm of the chick? 629.
- does injection of sodium carbonate into the portal vein cause the disappearance of glycogen from the liver? 627.
- formation of glycogen in the liver, 626.
- formation of glycogen in muscle, 629.
- glycogen in the liver of hibernating animals, 629.
- influence of cold on the amount of glycogen in the liver, 627.
- influence of severe bodily exercise on the amount of glycogen in the liver, 626.
- maltose, 567.
- nature of the sugar found in the liver after *rigor mortis*, 628.
- quantitative estimation of glycogen, 655.
- Schtscherbakoff's A, B, C, and D glycogen, 570.
- specific rotatory power of glycogen, 569.
- Kulz, E., and A. Bornträger, elementary composition of glycogen, 569.
- Kuhara, M., phthalimide, 1039.
- Kuhn, the sand vetch, a new fodder plant, 1065.
- Kupfer-Schlaeger, separation of zinc from cadmium, 849.
- Kurbatow. See Beilstein.
- Kutschceroff, M., direct addition of water to the hydrocarbons of the acetylene series, 883.
- monobromethylene, 882.
- oxidation of cholic acid, 926.
- Kynaston, J. W., production of aluminium sulphate free from iron from aluminous minerals containing iron, 666.
- L.**
- La Coste, W., benzarsinic acid and its derivatives, 168, 903.
- La Coste, W., bromine derivatives of quinoline, 741.
- Lade. See Claus.
- Ladenburg, A., alcamines, 1157.
- constitution of tropine, 263.
- hyoscine, 56.
- the mydriatic or pupil-dilating alkaloids, 446.
- tropeines, 420.
- Ladenburg, A., and L. Rügheimer, synthesis of tropic acid, 171.
- Ladureau, A., chemical composition of linseed, 116, 753.
- the rôle of fat in germination, 59.
- La faurie, J., solid preparation of bisulphide of carbon for vines, 482.
- Lagermark, A., tetrolic acid, 413.
- Lamansky, fluorescence, 214.
- Landauer, J., absorption spectra of chrysoidine and related azo-colouring matters, 591.
- Landolt, H., inversion of the rotation of optically active substances, 257.
- multiples of the rotatory powers of organic compounds, 403.
- T. Thomsen's law of multiple proportions, 795.
- Landschoff. See Liebermann.
- Lange. See Liebermann.
- Lange. See also Lippmann.
- Langfeldt, destruction of microscopic animals in potable waters, 1179.
- Larsen, G., separation of copper and zinc by precipitation with sulphureted hydrogen, 467.
- Lasaulx, A. v., idoerase from Gleinitz and the Johnsberg, near Jordansmühl, 381.
- mineralogical notices, 236.
- titanomorphite, a new calcium-titanate, 371.
- v. Lasaulx. See also Galle.
- Lasne and Benker, loss of oxides of nitrogen in the manufacture of sulphuric acid, and a means of preventing it, 475.
- Laspeyres, H., mineralogical observations, 543.
- Latour, E., analysis of *Lichen esculetus*, 931.
- Latschinoff, P., on cholic acid containing solid fatty acids, 158.
- Laubenheimer, A., and R. Görinn, hydrocyanocarbodiphenylimide, 163.
- Lauche, W., and A. Orth, garden manuring experiments, 936.
- Lavandier. See Pellet.
- Le Bel, J. A., active propyl glycol, 1021.
- Lechartier, G., analyses of buckwheat, 1164.

- Lechartier, G., presence of phosphorus in the rocks of Brittany, 700.
- Le Chatelier, crystalline hydrated barium silicate, 683.
- Le Chatelier. See also Maillard.
- Lecher, E., absorption of the sun's rays by the carbonic anhydride of the atmosphere, 489.
- so-called chemical repulsion, 873.
- Leclerc. See Grandreau.
- Lecouteux, E., money value of stable manure, 1076.
- Leeds, A. R., action of nitrogen peroxide on carbon compounds, 583.
- action of ozone, nascent oxygen, and hydrogen peroxide on benzene, 719.
- preparation of ozone by heating substances containing oxygen, 221.
- production of hydrogen peroxide by hydrogenised palladium-ozobenzene, 898.
- the invariable production, not only of ozone and hydrogen peroxide, but also of ammonium nitrate in the ozonation of purified air by moist phosphorus, 506.
- Lefort, J., action of arsenic and phosphoric acids on sodium tungstates, 1107.
- Lefranc, specific identity of inulins and of natural levulins, 149.
- Legler, L., etheric or lampic acid, 576.
- Lehne, A., paraditolylhydrazine, 41.
- paraditolylnitrosamine, 41.
- Lellmann. See Hübner.
- Lemetayer. See Pierre.
- Lemoine, G., dissociation, comparison of formulae deduced from experiment, 1095.
- Lepel, F. v., alkanet red as a test for magnesium salts, 62.
- vegetable colouring matters as tests for magnesium salts, 63.
- Lepine, R., and Flavard, incompletely oxidised sulphur in the urine, 298.
- Le Roux, F. P., electromotive force of the electric arc, 958.
- Lescoeur, H., hydrates of calcium chloride, 878.
- Letts, E. A., phosphorus-betaines, 717.
- Letts, E. A., and N. Collie, salts of tetrabenzylphosphonium, 722.
- Leuze, calespar in basalt-tufa from Owener Bölle, 998.
- Levallois, A., a sugar present in the grain of *Soja hispida*, 1121.
- Levy, A., influence of light on the ripening of grapes, 930.
- Lévy. See also Fouqué.
- Extrait, compound of strychnine with iodoform, 748.
- L'Hôte, L., phosphorite from the south of France, 766.
- Lichtenstein, L., dry distillation of aniline and paratoluidine mucates, 721.
- Liddle. See Smith.
- Lieben, A., compounds of calcium chloride with the fatty acids, 712.
- Lieben, A., and S. Ziesel, condensation products of aldehydes and their derivatives, 710.
- — reduction of crotonyl chloral, 711.
- — synthesis of glycerol, 145.
- Liebenberg, fertilisation of cereals, 633.
- — investigations on warmth in soils, 1071.
- Liebermann, C., alkyloxanthranols, 608.
- — constitution of the thiouethanes, 44.
- — conversion of β -naphthaquinone-anilide into α -naphthaquinoneanilide, 1041.
- — derivatives of anthraquinone, 100.
- Liebermann, C., and R. Knietsch, composition of aesculin and aesculetin, 107.
- Liebermann, C., and L. Landshoff, action of nitric acid on anthracene dihydride and ethylanthracene dihydride, 606.
- — compound of ether with phosphorus pentachloride, 33.
- — derivatives of ethyl, amyl, and methyl oxanthranols, 608.
- Liebermann, C., and A. Lange, lead plumbothioglycollate, 800.
- Liebermann, C., and L. Lindemann, combinations of anthracene with the oxides of nitrogen, 99.
- Liebermann, C., and H. Mastbaum, aesculetin, 610.
- Liebermann, C., and S. Natanson, para- and ortho-tolylthiouethanes, 45.
- Liebermann, C., and S. E. Simon, hydroxyanthranol, 823.
- Liebermann, C., and Tauchert, catechin, 52.
- Liebermann, C., and G. Tobias, synthesis of homologues of anthracene, 736.
- Liebermann, C., and Walder, butyl-oxanthranol, 609.
- Liebisch, T., analytical geometric treatment of crystallography, 398.

- Liebschutz. See Pellet.
- Limorisin, S., explosion in preparing oxygen, 1097.
- Limprecht, J., hydrazobenzenetetrasulphonic acid, 903.
- Linde, S., clover-sickness, 755.
- Lindemann. See Liebermann.
- Lindo, D., estimation of potassium as platinochloride, 1169.
- improvements in batteries, 1092.
- Lindström, G., hedyphane containing baryta from Laangban, 531.
- thaumasite, a new mineral from Åareskatan, 235.
- Link, G., phlorglucolphthalein and diresorcinolphthalein, 95.
- Lintner, influence of malt on the quality and keeping properties of beer, 1090.
- Lipp, A., some derivatives of isobutaldehyde, 84.
- Lippmann, the unit in absolute electrical measurements, 334.
- Lippmann, E., and R. Lange, condensation of tertiary bases by nitric oxide, 161.
- hydroxycumic acid, 275.
- Lippmann, E. O. v., inversion of raw sugar by carbonic acid, and some properties of inverted sugar, 148.
- levulan, a new species of gum occurring in beetroot molasses, 888.
- occurrence of malonic acid in the manufacture of beet sugar, 800.
- presence of saccharin in osmosed sugar, 148.
- Lischke. See Claus.
- Liveing, G. D., and J. Dewar, investigations on the spectrum of magnesium, 957.
- on the history of the carbon spectrum, 957.
- on the identity of spectral lines of different elements, 957.
- on the spectra of magnesium and lithium, 957.
- on the spectra of the compounds of carbon with hydrogen and nitrogen, 957.
- on the spectrum of water, 957.
- reversal of the lines of metallic vapours, No. VII, titanium, chromium, and aluminium, 957.
- Liversidge, A., comparison of New South Wales coals, 980.
- composition of some coral limestones, &c., from the S. Sea Islands, 1011.
- formation of moss-gold and silver, 687.
- New South Wales minerals, 991.
- Liversidge, A., stilbite from Kerguelen's Island, 695.
- water of hot springs in New Britain and the Fiji Islands, 1019.
- water from a hot spring, Fiji Islands, 564.
- water from a hot spring, New Britain, 564.
- Lloyd, J. U., citrate of caffeine, 447.
- resin of *Leptandra*, 103.
- Lloyd. See also Mabery.
- Lockyer, J. N., note on the spectrum of carbon, 957.
- note on the spectrum of hydrogen, 956.
- on a new method of spectrum observation, 956.
- on the iron lines widened in solar spots, 957.
- spectrum of iron in the sun, 669.
- Lönnies, H., γ -isophthalosulphonic acid and γ -hydroxyisophthalic acid, 50.
- Lönnies. See also Jacobsen.
- Lösch, A., lime-iron garnet from Sätersz in the Urals, 538.
- Loew, O., free fluorine in fluorspar, 785.
- Loew. See also v. Nägeli.
- schizomycetic fermentation of quinic acid, 602.
- Loëwe, J., note on incineration, 939.
- tannin of oak bark, 901.
- Löwenhardt. See Schmidt.
- Löwenthal, J., estimation of tannin, 473.
- Loir, A., crystallisation of alums, 878.
- Long, J. H., electrical conductivity of saline solutions, 71.
- Lord Rayleigh and A. Schuster, determination of the ohm in absolute measure, 963.
- Lorenz, C., derivatives of piperonal, 727.
- methylenecaffeic and methylenehomocaffeic acids and their derivatives, 48.
- Loretz, H., dolomite of S. Tyrol, 27.
- Lorin, reaction without the intervention of a solvent, 873.
- Lossen, W., the so-called differences in the quantivalence of a multivalent atom, 679.
- Louguinine, W., heat of combustion of alcohols of the allyl series, 871.
- heat of combustion of certain alcohols and aldehydes of the fatty series, 996.
- heat of combustion of heptane and hexahydrotoluene, 1113.
- heat of combustion of some compounds of the fatty series, 9.

Lovisato, D., the Kinzigites of Calabria, 519.
 Lubarsch, O., fluorescence, 70.
 Lubavin, N., action of ammonium cyanate on aldehydes, 796.
 — conversion of ethyl acetate into butyric acid, 249.
 Ludwig, E., and J. Maushner, detection of hydrocyanic acid, 1175.
 Luedecke, O., mesolite and scolecite, 1007.
 Lundvall. See Claesson.
 Lunge, G., determination of sulphur in pyrites, 193.
 — preparation of pure naphthalene, 1151.
 — technical notes, 322.
 Lunge, G., and T. Steinkauler, new hydrocarbon from *Sequoia gigantea*, 99.
 Lunin, N., importance of inorganic salts in the feeding of animals, 1050.
 Lurie. See Birnbaum.
 Lux, F., flavescein, a new indicator, 193.
 — simple aspirator, 192.
 Lwow, O., hexamethylethane, 399.
 — polymerisation of vinyl bromide, 400.

M.

Mabery, C. F., and H. B. Hill, oxidation products of dimethyluric acid, 39.
 Mabery, C. F., and Rachael Lloyd, diiodobromacrylic and chlorobromacrylic acids, 1125.
 Mabery. See also Hill.
 Macagno, H., detection of aniline colours in red wine, 659.
 — detection of artificial colouring matters in red wines by means of the spectroscope, 852.
 — strength of solutions of sulphur in carbon bisulphide, and its application to the analysis of sulphur ores, 844.
 Macagno, I., estimation of carbon bisulphide, 308.
 — estimation of tannin in sumach, 1085.
 — influence of atmospheric electricity on the growth of grapes, 931.
 McCarter. See Sadtler.
 Mach, E., and K. Portele, composition of various parts of grapes, 1061.
 — — influence of acids on the preservation of wine, 1090.
 — — mashing of grapes, 126.
 Mc Houl, D. A., derivatives of anthraquinonesulphonic acid, 51.
 Macmunn, C. A., researches on the

colouring matters of human urine and their artificial production from bilirubin and from haematin, 1056.
 Märcker, M., employment of potassium salts as manure, 839.
 — manuring experiments with sugar beets, 1078.
 — preservation of diffusion residues from beet-sugar manufacture, 932.
 — relative value of soluble and insoluble phosphates as manures, 1073.
 — stable dung as manure for beet, 842.
 Magatti, G., a derivative of quinol, 595.
 Maillard and Le Chatelier, temperature of ignition of gaseous mixtures, 778.
 — — — velocity of propagation of inflammation in explosive gaseous mixtures, 971.
 Mallard, E., crystalline form of iron-manganese, 789.
 — production of crystallised iron phosphide and of anorthite by the fires in the coal beds at Commentry, 690.
 Mallard. See also Baumhauer.
 Mallet, J. W., chemical composition of guanaguatite, 361.
 — molecular weight of hydrofluoric acid, 973.
 Maly, R., changes of temperature during digestion, 926.
 — formation of free sulphuric acid in the Gasteropoda, 298.
 Maly, R., and F. Hinteregger, caffeine and theobromine, 747.
 Mann, W., methyldeoxybenzoïn, 1034.
 Maquenne, vegetation of oil producing plants, 60.
 Marchand, E., the acidity of milk, 473.
 Marchetti, C., action of aluminium chloride on a mixture of naphthalene and ethyl chloride, 1041.
 Mareck, F., pigment for floors, wood, stone, and brickwork, 483.
 — quantitative determination of silver in galvanic silver baths, 468.
 Marie-Davy, H., experiments with sewage, 936.
 Marignac, C., the earths of samarskite, 73.
 Markownikoff, W., a six-carbon glycerol, 146.
 — dichlorhydrin and its oxidation-products, 1120.
 — itaconic anhydride, 155.
 Markownikoff, W., and A. Krestownikoff, tetrylene - dicarboxylic acid (homoitaconic acid), 1127.

- Marpmann, interference of bacteria with brewing, 1090.
- Marsden, R. S., preparation of adamantine carbon or diamond, 682.
- Martin, K., phosphorite limestones of the island of Bonaire, W. Indies, 391.
- Mascart, absolute measurement of currents of electrolysis, 958.
- Masing, E., examination of various kinds of gum arabic and of tragacanth, 212.
- Mason, A. H., adulterated linseed oil, 473.
- hydrogen peroxide, 474.
- Massie, F. A., analysis of amphibole from Amelia Co., Va., 538.
- composition of dufrenite from Rockbridge Co., Va., 529.
- Mastbaum. See Liebermann.
- Matthey, preparation of platinum, 792.
- Maumené, E. J., action of nitric acid on metals, 876.
- action of sulphuric acid recently heated to 320° on oils, 971.
- ammonium carbonate, 414.
- decilene, 1021.
- decomposition of mercury and silver cyanides, 794.
- new method of analysing oils, 1084.
- Mauro, F., and L. Danesi, new method for the volumetric estimation of molybdenum, 1083.
- Maushner. See Ludwig.
- Mauthner, J., and W. Suida, brominated propionic and acrylic acids, 889.
- Mayençon, presence of cerium in the coal measures of St. Etienne, 21.
- Mayer, A., action of rennet under various conditions, 1183.
- American preserved meats, 771.
- estimation of the absorptive power of soils, 637.
- influence of an increased quantity of carbonic anhydride on the growth of plants, 1060.
- manuring with potassium salts, 840.
- oxygen and alcoholic fermentation, 479.
- Mayer, A., and others, fermentation in presence of organic salts, 836.
- Mayer, L., new method for the estimation of arsenious in presence of arsenic acid, 195.
- Medicus, testing the progress of putrefaction in manure heaps, 937.
- Medicus, L., and others, butter analysis, 66.
- Meier. See Crafts.
- Meise, Chunno potatoes from Peru, 932.
- Meissl, E., specific rotatory power of lactose, 150.
- Meldola, R., nitroso- β -naphtholsulphonic acid, 436.
- Melikoff, O., formation of α - and β -chlorolactic acids, 154.
- β -iodolactic acid, 712.
- Mendel, H. J., preparation of food for pigs, 302.
- Mendelejeff, D., history of periodic atomicity, 138.
- Menschutkin, N., determination of the reaction-values of the components of alcohols and acids, 1117.
- influence of isomerism of alcohols on the formation of ethereal salts, 36.
- influence of isomerism of glycals on the formation of their acetates, 144.
- influence of isomerism of mono-basic saturated acids on etherification, 39.
- influence of isomerism on the etherification of alcohols and acids, 883.
- polyhydric alcohols, 146.
- Merling, G., addition-products of atropic acid, 1143.
- Merling. See also Kraut.
- Merz, V., and W. Weith, amalgams, 881.
- — etherification of phenols, 264.
- — lecture experiments, 18.
- — mononaphthylamines from naphthols, 605.
- Meugeot, A., formation of permanently green crystals of chromic chloride, 352.
- Meulen. See Mulder.
- Meunier, F., asparagine, 761.
- composition of wheat-ashes, 754.
- distribution of sugar in sorghum, 60.
- Meunier, S., a source of atmospheric carbonic anhydride, 72.
- lithological and geological examination of a meteorite which fell 15th October, 1872, near Soko-Banja, Servia, 1017.
- synthetic imitation of meteoric nickel-iron, 1018.
- synthetic production of native silicates of alumina and alkaline silico-aluminates, 350.
- Meyer, A., potassium salts as manures, 459.
- Meyer, E., cyanethine and new bases derived from it, 54.
- Meyer, L., atomic weight of glucinum, 139.
- evaporation without fusion, 133, 678.

- Meyer, L., periodic atomicity, 138.
 Meyer, L., and O. Schumann, transpiration of vapours, 504.
 Meyer, P. J., a new phenylthiohydantoic acid, 1039.
 — ethyl mono- and di-chlorothiobacetate. Action of phosphorus pentasulphide on chlorinated acetic acids, 890.
 Meyer, R., and A. Baur, introduction of the hydroxyl group by direct oxidation, 45.
 Meyer, R., and H. Boner, oxidation of isocymenesulphonic acid, 818.
 Meyer, V., determination of the densities of permanent gases, 137.
 — vapour-density of chlorine, 219.
 — vapour-density of the halogens, 872.
 Meyer, V., and E. J. Constam, ethyl-azaurolic acid, 895.
 Meyer, V., and F. P. Treadwell, ketines, 796.
 Meyer. See also Déhérain, Gabrels, Post, and Musculus.
 Michael, A., a new formation of stilbene and some of its derivatives, 1150.
 — a new formation of ethylthiocarbimide, 1128.
 — action of aromatic hydroxy-acids on phenols, 592.
 — ethylphthalic acid, 1147.
 — preparation of formic aldehyde, 1123.
 Michael, A., and C. Gundelach, synthesis of methylcorine and constitution of conine, 825.
 Michael, A., and L. M. Norton, monobromocrotonic acids, 798.
 Michaelis, A., ethylphosphodichloride and its homologues, 158.
 Michaelis, A., and P. Becker, attempts to prepare boron oxytrichloride, 682.
 Michaelis, A., and C. Panek, benzophosphinic acid, 603.
 Michaelis, A., and C. Schulte, arsenobenzene, 722.
 Michel-Levy, A., sillimanite in the gneiss of the Morvan, 1005.
 v. Miller. See Hoffmann.
 Miller, O., naphthaquinone, 1041.
 Millot, M. A., retrograde phosphoric acid, 62.
 Mills, E. J., on chemical repulsion, 971.
 Miquel, P., and L. Benoist, sterilisation of animal and vegetable liquids, 835.
 Mitschke-Collande, F., relation of wool to body weight in merino sheep, 1054.
 Mixter, W. G., compounds of the aromatic amines with silver nitrate and sulphate, 1129.
 Möhlau, R., action of primary aromatic amines on acetophenone bromide, 262.
 Möller, J., and J. Pöhl, seeds of *Cassia occidentalis* from Martinique, 483.
 Möller, H., cyanamido-compounds of succinic acid, 258.
 Moissan, H., chromous bromide, iodide, and oxalate, 685.
 — metallic oxides of the iron group, 74.
 — preparation and properties of chromous chloride and sulphate, 684.
 — sesquioxide of chromium, 21.
 Moissan. See also Étard.
 Moitessier. See Engel.
 Moleschott and others, influence of light on chemical action in animals, 833.
 Moore, T., separation of cobalt and nickel from iron, 1171.
 Moot, C. G., action of iodine on phosphorus trichloride, 138.
 Morawski, T., lead glycerides and the quantitative estimation of glycerol, 145.
 Morgen, A., solubility of certain manure materials, 120.
 — use of the azotometer for agricultural investigations, 464.
 Morin, H., essence of linaloës, 738.
 — gelose, 403.
 Moritz, J., analyses of wine and must, 1090.
 Moritz. See also Claisen.
 Morley, H. T., isopropylneurine, 151.
 Morton, H., displacement of the absorption-bands of purpurin in alum solutions, 488.
 Morse, H. N., estimation of barium as chromate, 848.
 Morse, H. N., and W. C. Day, determination of chromium in chrome iron ore, 942.
 Moser, J., the circuit produced by the reaction-current of electrolysis and by evaporation and condensation, 1092.
 Mott, H. A., effects of alumina salts on digestion, 189.
 Mügge, O., felspar from the rhombic porphyry of Christiana, 1019.
 Müller, A., irrigation with sewage, 842.
 — purification of foul water, 854.
 Müller, C., estimation of phosphorus in slag from blast furnaces, 939.
 Müller, C., and W. C. Müller-Scheesel, comparative experiments on the

- manurial values of soluble, reduced, and precipitated phosphates on sandy soils, 758.
- Müller, M., technology of glass, 323.
- Müller, W., and J. Hagen, decompositions which occur in the use of Trommer's test, 795.
- reduction of cupric hydrate in alkaline fluids, 795.
- reduction of cupric hydrate in neutral and acid mixtures of grape-sugar, 795.
- sensitiveness of Trommer's test, and Fehling's solution as a qualitative reagent for sugar, 851.
- Müller-Erzbach, W., tension of aqueous vapour in presence of different hygroscopic bodies, 782.
- volume relations in the formation and decomposition of salts, 219.
- volume relations of haloid salts, 71.
- Müller. See also Claus.
- Mulder, E., action of bromine on uranil, 801.
- Mulder, E., and H. G. L. Meulen, action of zinc-ethyl on ethyl tartrate, 714.
- Munk, E., and others, nutritive value of glycerol, 114.
- Muntz, A., cultivation of hops, 931.
- influence of food on the constitution of the fat of animals, 752.
- Muntz, A., and E. Aubin, estimation of carbonic anhydride in the air, 468.
- proportion of carbonic anhydride in the air, 875.
- Musculus, F., modifications of starch, 888.
- Musculus, F., and A. Meyer, conversion of glucose into dextrin, 570.
- erythrodextrin, 570.
- Musso, G., lactic acid and alcoholic fermentation of milk, 944.
- Musso, G., and others, ripening of cheese, 1184.
- Muter, J., volumetric estimation of glycerol, 1174.
- Mylius, E., estimation of morphine in opium, 945.
- N.**
- Nägeli, C., nutrition of the lower fungi, 1058.
- Nägeli, v., and O. Loew, nutrition of the lower orders of fungi by carbonaceous and nitrogenous matter, 299.
- Nanquette, and others, gypsum as manure, 1076.
- Narr, F., discharge of electricity in gases and high vacua, 70.
- Nasini, R., specific rotatory power of parasantonide, 919.
- Nasini. See also Carnelutti.
- Natanson. See Liebermann.
- Nawokichi Matsui, examination of the raw materials used for Arita porcelain, 667.
- Neale, A., and others, new fermentation of beetroot molasses, 770.
- Neelson, F., blue milk, 1055.
- Nencki, M., and P. Giacosa, oxidation of aromatic hydrocarbons in the animal organism, 632.
- Nencki, M., and N. Sieber, compounds of monobasic and dibasic acids with phenols, 591, 811.
- Nerger, C., comparative manuring experiments, 1079.
- Nessler, J., composition and unwholesome effects of a potato sugar, 332.
- fermentation of Italian wines, 1090.
- Newbury, preparation of croton aldehyde, 405.
- Niaudet, A., sound of the electric arc, 959.
- Nickels, B., removal of carbon bisulphide from commercial benzene, 770, 950.
- Nies, A., two new minerals from the Elenora mine on the Dünsberg, near Giessen, 525.
- Nies, F., and A. Winkelmann, changes in volume of some metals on fusion, 738.
- Nietzki, R., "Biebrich scarlet," 178.
- Nilson, L. F., atomic weight of glucinum, 140.
- Nilson, L. F., and O. Pettersson, molecular heat and volume of the rare earths and their sulphates, 494.
- properties and chemical characters of glucinum, 511.
- Ninger, F., influence of frost on analyses of sugar-beets, 1084.
- Nobbe, F., germination of fir seeds, 931.
- Noble, and F. A. Abel, note on the existence of potassium thiosulphate in the solid residue of fired gunpowder, 977.
- Noel, G., action of light on silver bromide, 862.
- Nöltig, E., and E. Salis, cresol nitro-derivatives, 725.
- Nördlinger, v., hardness and resistance of wood, 132.
- Nordenskiold. See Bertrand.
- Nordenström, G., occurrence of anturacite in an iron mine in Norberg, Sweden, 359.
- Nordström, T., analyses of minerals, 532.

0.

- Œconomides, S., action of ammonia on isobutylidene chloride, 793.
 —— action of phosphorus pentachloride on isobutaldehyde, 709.
 —— preparation of isobutylal, 711.
- Oehme, and others, successful growth of flax in Saxony, 60.
- Oerum and Ditzel, nutritive value of gelatin, 1049.
- Offer, H., Guthrie's cryohydrates, 216.
- Ogier, J., chloride, bromide, and iodide of sulphur, 673.
 —— thermochemistry of the bromides and iodides of phosphorus, 219.
- Ogier. See also Berthelot.
- Oglialoro, B., phenoxyacinnamic acid, 275.
- Oglialoro. See also Paternò.
- Oglobline, commercial petroleum, 330.
- Oppenau, F., stripping of maize, 837.
- Oppermann. See Tiemann.
- Orth. See Lauche.
- Oser, J., and W. Kalmann, a new derivative of gallic acid, 815.
- Ossikovszky, J., arsenious sulphide as a poison, and its importance in judicial cases, 123.
- Ossipoff, halogen derivatives of fumaric and maleic acids, 416.
- Ostwald, W., chemical affinity, 17.
 —— determination of chemical affinity, 783.
 —— volumetric determination of the chemical influence of mass. Part III. On the mass influence of water, 497.
- Otto, R., detection of zinc in toxicological cases, 194.
- Otto, R., and H. Beckurts, constitution of glyoxylic acid, 1030.
- Otto, R., and G. Gäßler, comparative examination of samples of magnesium carbonate, 208.
- Otto. See also Beckurts.
- Oudemans, A. C., conquinamine, 1154.
- Owens. See Clarke.

P.

- Pabst. See Girard.
- Pätor-Lalendorf, best method of manuring potatoes, 61.
- Pätz, C., removal of iron from newly-broken soil, 638.
- Page, W. T., analysis of a highly aluminous pyroxene from Amhurst Co., Va., 554.
 —— examination of an altered living-stonite from Guadalcazar, 518.

- Page, W. T., examination of living-stonite from a new Mexican locality, 517.
 —— solubility of carbon bisulphide in water, 580.
- Pagnoul, A., cultivation of beetroot, 60.
- Panek. See Michaelis.
- Papasogli, G., action of carbonic acid on potassium iodide and on ozonoscopic papers, 975.
- Parker, J. S., varying condition of carbon in steel, and its influence on Eggertz's process, 466.
- Parmentier, F., silico-molybdates, 880.
- Parnell, E. A., metallurgic treatment of complex ores containing zinc, 668.
- Parriscus. See Tiemann.
- Parsons, A. B., analysis of damiana, 106.
- Pastrovitch. See Schwarz.
- Paternò, E., analysis of native sodium sulphate from Sicily, 524.
 —— organic fluorine compounds, 597.
- Paternò, E., and F. Canzoneri, synthesis of thymol, 593.
- Paternò, E., and A. Oglialoro, remarks on the chemical nature of picrotoxin, 440.
- Paternò, E., and S. Scichilone, synthesis of aromatic aldehydes by means of chromyl chloride, 423.
- Pavy, E. W., physiology of sugar in the animal system, 1058.
- Pawlewski, B., a simple method of determining boiling points, 642.
 —— acid from *Viscum album*, 441.
- Pechmann, H. v., compounds of orthobenzoylbenzoic acid with phenols, 96.
- Peitzsch, B., and others, estimation of phosphoric acid, 194.
- Pellet, H., action of animal charcoal in the sugar manufacture, 127.
 —— ammonia in plants, 116.
 —— constancy in composition of plants, 753.
- Pellet, H., and Grobert, J., determination of salicylic acid in food-stuffs by a colorimetric reaction, 1175.
- Pellet, H., and C. Lavandier, nutritive value of diffusion pulp and pulp from the hydraulic press, 933.
- Pellet, H., and M. Liebschutz, analysis of beet seeds, 757.
- Pellet. See also Champaonnois.
- Pellieux, J., and E. Allary, an iodometric process, 307.
 —— manufacture of iodine, 207.
- Pellieux. See also Allary.

- Penfield, S. L., analyses of some apatites containing manganese, 364.
 — chemical composition of childrenite, 365.
- Perger, H. R., formation of dihydroanthranol, and of anthracene from anthraquinone, 607.
- Perkins, F., determination of carbon in water residues, 197.
 — estimation of nitrates in river-water, 1173.
- Pernet, J., variation of the fixed points in mercury thermometers, 4.
- Perry, J., and W. E. Ayrton, a preliminary account of the reduction of observations on strained material, Leyden jars, and voltameters, 963.
- Pesci, L., atropine, 293.
- Peter, H., milk analysis, 1184.
- Peter. See also Schrodt.
- Petermann, A., African guano, 758.
 — analysis of cocoa- and palm-meal, 301.
 — composition of "diffusion" and "press" residues, 301.
 — composition of two samples of peat, 641.
 — presence of corn-cockle seeds in meals, 317.
- Peters, J. F., manuring experiments, 1079.
- Petit, A., rapid estimation of uric acid, 945.
- Petri, W., derivatives of itaconic, mesaconic, and citraconic acids, 1032.
- Petri. See Anschütz.
- Petterson, O., Lothar Meyer and the latest discovery in physics, 133.
- Petterson. See also Nilson.
- Pfaff, influence of change of temperature and pressure on double refraction, 334.
 — variability of the angles of crystals, 356.
- Philippar, E., on swedes, 756.
- Hipson, T. L., a curious actinic phenomenon, 863, 1092.
 — actinium, a new metal, 1104.
 — grains of silica and micrococci in the atmosphere, 645.
 — rusting of iron, 512.
- Piccini, A., separation and estimation of nitric and nitrous acids, 1080.
- Pickering, S. U., oxides of manganese, 789.
- Pierre, I., and Lemetayer, spring barley as green fodder, 755.
- Piesse, C. H., and L. Stansell, analyses of black and white mustard, 205.
- Pieszczek, E., new fossil resins from East Prussia, 687.
- Pinner, A., condensation of acetone, 796.
- Pinner, A., and W. Schumann, action of hydrochloric acid on thiocarbonamides and thiocyanic ethers in presence of alcohol, 811.
 — — — action of sodium and carbonic anhydride on allylene chloride, 793.
- Pitsch, O., organic matters in soil; examination of Grandjeau's theory, 117.
 — the humus extracted from soil by alkalis, 889.
- Pizzi, A., detection of logwood in wine, 761.
- Plimpton, R. P., alylamines from inactive amyl alcohol, 33.
- Plöchl, J., action of hydrocyanic acid on hydrobenzamide, 820.
 — lead formate acetate, 86.
 — phenylamido-acetic acid, 168.
- Plohn. See Suida.
- Plotho. See Schrodt.
- Pochin, W., slag obtained during the deposphorising of iron, 328.
- Pöhl, pilocarpine, 447.
- Pöhl. See also Möller.
- Pogge-Roggow, H., manuring experiments with mangold-wurzel and beet, 61.
- Poleck. See Biefel.
- Pomey, E., phosphoplatinic compounds, 802.
- Portele, K., milk of Tyrolese cows, 1163.
 — use of salicylic acid in the dairy, 1185.
- Portele. See also Mach.
- Forumbaru, cobaltamines, 1106.
 — gelose, 403.
- Post, J., action of sulphuric acid on the substituted nitro- and amido-benzenes, 91.
- Post, J., and C. G. Meyer, meta-chloronitro- and metachloramido-benzenesulphonic acids, 1037.
- Potilitzin, A., action of dry hydrogen on anhydrous haloïd salts, 6.
 — displacement of chlorine by bromine in potassium chloride, 342.
 — double decomposition in absence of water, 342.
 — reciprocal displacement of the halogens in absence of water, 184.
 — thermochemistry of double decomposition in aqueous solutions of salts, 869.
- Pouchet, A. G., destruction of organic matter when searching for metallic poisons, 463.

- Precht, H., formation of hydrogen in the Stassfurt potash mines, 227.
 Precht, H., and B. Wittjen, solubility of mixtures of salts of the alkalies and alkaline earth-metals, 978.
 Presser, K., cotton-seed meal as fodder for milch cows, 636.
 Prinz. See Wagner.
 Prunier, L., and E. Varenne, products from petroleum coke, 239.
 Przybytek, oxidation of erythrol and glycerol, 402.
 — oxidation of glycerol by nitric acid, 1021.
 Puttkammer and others, use of lupines as fodder, 116.

Q.

- Quajat, E., combustibility of tobacco, 68.
 Quinquand, estimation of urea by means of standard sodium hypobromite, 1085.

R.

- Radianu, S. P., mechanical and chemical analyses of Roumanian soil, 935.
 Radziszewski, B., phosphorescence of organic and organised bodies, 488.
 Raffelt, R., alumite from Mühlhausen, near Kralup, in Bohemia, 691.
 Ramann, E., decomposition of water by metallic iron, 879.
 — passive state of iron, 872.
 Rammelsberg, C., chemical composition of the micas, 533.
 — composition of descloizite and the natural vanadium compounds in general, 1000.
 — composition of kjerulfin, 230.
 — composition of pollucite from Elba, 1005.
 — molecular properties of tin and zinc, 685.
 — strychnine sulphate, 831.
 Ramsay, W., on the critical state of gases, 971.
 Raoult, F. M., action of carbonic anhydride on barium and strontium oxides, 878.
 — action of dry carbonic anhydride on quicklime, 348.
 Rath, G. v., contributions to mineralogy, 548.
 — mineralogical contributions, 231.

- Rath, G. v., and A. Damour, kentrolite, a new mineral species from Chili, 554.
 Rau, H. M., benzolone and benzostilbene, 591.
 Rautenberg. See Claus.
 Raymond, R. W., the dunite of the Jenks Mine, Macon Co., N. Carolina, 540.
 Reboul, E., action of methylamine on epichlorhydrin, 1122.
 — action of triethylamine on the monohaloïd paraffin-derivatives from secondary and tertiary alcohols, 1024.
 Reboul, wine from raisins, 198.
 Rebuffat, O., barium and calcium cinnamates, 598.
 Rechenburg, C. v., heat of combustion of carbon compounds, 10, 135.
 Regnier, E., efficiency of secondary piles, 868.
 Reichardt, E., detection and estimation of arsenic, 195.
 — examination of the Grosslüder mineral spring at Salzschlirf, 29.
 Reichel, F., estimation of arsenic as magnesium pyroarsenate, 467.
 — qualitative separation of cobalt from nickel, 194.
 Reimer, C. L., action of bromine on benzyl cyanide, and on phenylacetic acid at high temperatures, 47.
 — alphatoluylamide, 43.
 Reingruber, F., methylnaphthalene, 436.
 Reinhardt, H., and R. Ihle, electrolytic estimation of zinc, 1170.
 Reinitzer, B., solid compound of boron and hydrogen, 507.
 Reinke. See Rodewald.
 Reinsch, H., coal, 107.
 — manganese dioxide containing antimony, 141.
 v. Reis, M. A., specific heat of organic compounds and its relation to the molecular weight, 963.
 — use of oxalates in analysis, 843.
 v. Reis. See also Classen and Halberstadt.
 Reiset, J., proportion of carbonic anhydride in the atmosphere, 19.
 Remont, A., action of flame on platinum, 882.
 — analysis of heavy mineral, resin, and fatty oils, and of resin in oils of commerce, 202.
 — estimation of salicylic acid in beverages, 944.
 — separation of wool and silk in textile fabrics, 1177.
 — conduct of finely-divided iron towards nitrogen, 1104.

- Remont, A., deposition of copper on iron in a magnetic field, 962.
- Remsen, I., and W. Burney, sulpho-terephthalic acid, 819.
- Remsen. See also Coale and Hall.
- Renard, A., electrolysis of toluene, 721.
- products of the distillation of colophony, 738.
- Rennie, E. H., acids of the Australian currant, 1033.
- double salts of meconic acid, 418.
- Renouard, A., steeping hemp, 132.
- Renouf, E., dimethylhydrazine, 151.
- Reuss, injurious effect of furnace gases on the woods of the Upper Harz, 1064, 1179.
- Reynier, E., Faure's secondary electric pile, 671.
- Ricciardi, L., comparison of diseased and sound lemon trees, 300.
- lavas from the neighbourhood of Catania, 701.
- on flint, 1003.
- Richard, A., minerals of the Sarrabus mine, Sardinia, 359.
- Richard, A., and A. Bertrand, magnesium and potassium platinocyanide, 240.
- Riche, A., margarin, a substitute for butter and lard, 209.
- bismuth subnitrate, 14.1
- Richet, C., fermentation of urea, 1059.
- Richet, C., and G. Bouchardat, chlorinated derivatives of strychnine, 292.
- Richter, M., dinaphthylmethane, 281.
- Riegler, W., descent of rain water down tree stems, 61.
- Rimington, F. M., analysis of coffee, 473.
- method for examination of coffee, 1177.
- Risler. See Claus.
- Ritthausen, H., action of salt solutions on conglutin and legumin, 1160.
- crystalline albuminoids from different oil-seeds, 833.
- vicin and convicin, 1158.
- Rjabinin, K., methyl and ethyl ethers of diallylcarbinol, 404.
- Roberts, W., estimation of the amylolytic and proteolytic activity of pancreatic extracts, 1051.
- Roberts, W. C., steel for the manufacture of dies, 856.
- Rodewald and J. Reinke, composition of protoplasm, 753.
- Rodewald, H., and B. Tollens, formation of levulinic acid from milk-sugar, 410.
- Rodwell, G. F., effects of heat on the chloride, bromide, and iodide of silver, and on some chlorobromiodides of silver, 495, 965.
- expansion coefficients of lead iodide and of an alloy of lead iodide with silver iodide, 966.
- Roemer, C., deoxyalizarin, 823.
- Röse, B., ethereal salts of carbonic acid, 251.
- Rösing, B., the Zündererz, or tinder-ore of Clausthal, 24.
- Rohl and G. Hess, prevention of rot in potatoes, 1066.
- Rohre. See Claus.
- Rolland, G., occurrence of mercury in California, 689.
- Romanis, R., analysis of rice soils from Burmah, 838.
- hot spring at Natmoo, near Maulmain, British Burmah, 1019.
- Romanese. See Bellati.
- Rosenstiel, A., Baeyer's process for the synthesis of indigotin, 98.
- existence of three isomeric rosanilines, 263.
- Roser, L., synthesis of ketonic acids, 731.
- Roth, L., a new occurrence of gismonidine, 26.
- Rother, R., coecus red, 130.
- Rousset and others, *Phylloxera radatrix*, and means of destroying it, 842.
- Roux, rapid method for the estimation of lead, 849.
- Roux, E. A., yeast incapable of producing invertive fermentation, 632.
- Roux. See also Chamberland.
- Rowland, H. A., the mechanical equivalent of heat, 491.
- Rowland. See also Sadtler.
- Royl, C. H., colours of thin blowpipe deposits, 489.
- Rubner, M., absorption of food passing through the human body, 1050.
- decomposition of pease in the intestine of man, 187.
- Rubner, fluid meat, 451.
- Rudnew, W., products from the manufacture of petroleum gas, 329.
- Rüdiger, A., analyses of ice, 207.
- Rügheimer, L., ethylatrolactic acid, 600.
- phenylsuccinic acid, 599.
- Rügheimer. See also Ladenburg.
- Rumpf, J., crystalline structure of apophyllite, 397.
- Russell, W. J., absorption spectra of cobalt salts, 486, 957.
- Russell, W. J., and S. West, relation of the urea to the total nitrogen of the urine in disease, 1055.

Russell. See also West.

Ruyssen, F., and E. Varenne, solubility of mercurous chloride in hydrochloric acid, 881.

— — — solubility of silver chloride in hydrochloric acid, 880.

S.

Saalfeld, E., Palembang benzoïn, 101.

Sabanejeff, boiling points of ethylene and ethane derivatives, 399.

Sabatier, P., iron chlorides, 964.

— — — thermochemical researches on the sulphides, 492.

Sadebeck, A., the crystal system of manganite, 364.

Sadlow, K., tanning, 481, 1186.

Sadtler, S. P., and H. G. McCarter, petrocene, a product of the destructive distillation of petroleum, 1128.

Sadtler, S. P., and W. L. Rowland, colouring-matters from Beth-a-barra wood, 1042.

St. Capranica, S., new guanine reaction, 655.

St. Claire-Deville. See Broch.

St. Martin, L., estimation of the residues of wines, 1086.

Salis. See Nöltning.

Salkowski, E. and H., skatole-forming substance, 175.

Salleron, J., changes in glass by heating, 5.

Salomon and M. Herter, method of preserving brewers' grains, 951.

Salzer, T., Nessler's test for ammonia, 940.

Samek, J., cultivation of various agricultural plants, 1069.

Sarauer, P., preservation of fruit in winter, 132.

Sarauw, E., quinone-derivatives, 1135.

Sarlay. See Senhofer.

Sarrasin. See Friedel.

Sarrau and Vieille, decomposition of explosives in closed vessels, 483.

— — — decomposition of potassium picrate, 1033.

— — — heat of formation of explosives, 968.

— — — heat of formation of gun cotton, 342.

Saytzeff, A., calcium and barium salts of diethyl- and methylpropyl-acetic acids, 408.

Sechilone. See Paternò.

Schacherl, G., boiling point of chlorine tetroxide, 345.

Schacherl, G., preparation of mono-bromo- and dibromo-succinic acids, 577.

Schacht, C., estimation of the alkaloids in quinine wine, 204.

Schaffert, F., manuring experiments on "Donaumos," 935.

Schaffer, F., mycoprotein, 449.

Scharizer, R., notices on some Austrian minerals, 544.

Schaumann. See Pinner.

Scheibe, E., borocitrates, 88.

Scheibler, C., relation between crystalline form and rotatory power of certain carbohydrates, 245.

— — — saccharin and saccharinic acid, 149.

Scheibler. See also Jünemann.

Scheurey-Kestner, new methods for the desulphurisation of alkaline solutions, 766.

Schiaparelli, C., ethereal salts of phenyl, and some of their derivatives, 602.

Schidt. See Goldschmidt.

Schiff, H., a modification of helicin, 439.

— — — acetyl derivatives of aesculin and aesculetin, 180.

— — — decomposition of glucosides by heat, 439.

— — — researches on glucosides, 610.

Schiff, R., action of bromine and chlorine on nitrocamphor, 438.

Schiffer, J., occurrence and origin of methylamine and methylcarbamide in wine, 631.

Schiller, R., drainage-water from moorland, 117.

Schimper, A. F. W., formation of starch grains, 1061.

— — — growth of starch grains, 1061.

Schindler, F., influence of temperature on the germination of bunt spores, 455.

Schirmer-Neuhaus, cultivation of furze, 116.

Schirokoff, A., conversion of hydroxyvaleric acid from allyldimethylcarbinol into isopropylacetic acid, 414.

Schloessing, T., constancy of the proportion of carbonic anhydride in the atmosphere, 19.

— — — magnesia industry, 1087, 1180.

Schlumberger, applications of salicylic acid, 860.

Schmelck, T., results of Norwegian North Sea expedition, 81.

Schmidt, C., "black-earth" of Russia, 1070.

— — — examination of various soils and subsoils, 456.

- Schmidt, E., alkaloids from belladonna and *Datura Stramonium*, 293.
 — caffeine, 746.
 — calcium double salt of methylcrotonic and isobutylformic acids, 1126.
 — methylcrotonic and angelic acids, 1126.
 Schmidt, E., and E. Löwenhardt, constituents of the seed of *Cocculus indicus*, 740.
 Schmidt, H., and G. Schultz, benzidine, 909.
 — — — diphenylbenzenes, 435.
 Schmidt, J. G., action of acetone on furfuraldehyde and benzaldehyde in presence of alkalis, 889.
 — action of aldehyde on furfuraldehyde, 247.
 — action of furfuraldehyde on aldehydes and acetone in presence of soda, 573.
 Schmoeger, M., a hitherto unobserved property of milk-sugar, 151.
 Schneider, R., atomic weight of antimony, 78.
 — behaviour of iodine and arsenious sulphide at high temperatures, 686.
 Schneider, G. H., rotatory power of malic acid and its salts, 892.
 Schönach, J., solubility of a mixture of sodium and potassium chlorides, 223.
 Schöne, E., atmospheric ozone, 345.
 — observations made on the atmosphere with thallium papers, 20.
 — proof of the existence of ozone in the atmosphere, 20.
 Scholtz, R., double platinocyanides, 707.
 Schoop, O., action of dimethylaniline on ethylene bromide and acetylene tetrabromide, 160.
 — sulphoterephthalic acid, 278.
 Schrauf, A., arsenates from Joachimsthal, 532.
 — eggonite, 236.
 — phosphorised copper ores, 368.
 Schreder, J., decomposition of rufigallic acid, 282.
 Schreiner, L., two remarkable cases of metamerism in carbon compounds, 88.
 Schrottd, M., creaming milk in earthen pans, 771.
 Schrottd, M., and H. v. Peter, American fleshmeal for milch cows, 758.
 Schrottd, M., and v. Plotlio, creaming of milk by surface cooling, 857.
 Schrottd, M., and others, feeding of cows with rice meal, 297.
 Schröder, H., density and molecular volume of certain acetates, 969.
 Schröder, H., specific gravity and volume-constitution of formates, 496.
 — — — volume-constitution of liquid compounds, 13, 220.
 — — — volume-constitution of sulphates, chromates, and selenates, 137.
 Schröder, W., and others, formation of hippuric acid in the animal organism, 928.
 Schrötter, H., reduction products of camphor, 100.
 Schützenberger, P., carboglucoic acid, 1033.
 — — — hyposulphurous acid, 976.
 — — — sodium hyposulphite, 682.
 Schützenberger, P., and Tonine, N., composition of petroleum from the Caucasus, 705.
 Schulerud, L., action of hydrochloric acid on organic amides, 42.
 Schulte. See Michaelis.
 Schulten, A., artificial analcime, 25.
 Schultz, G., constitution of diphenyl derivatives, 907.
 — — — diphenyl bases, 907.
 Schultz, G., and H. Strasser, diphenyline and δ -diamidodiphenyl, 604.
 Schultz, G., and others, diphenyline, 911.
 Schulz, H., physiological action of oxalethyline, 246.
 Schultz. See also Schmidt.
 Schulz, E., decomposition of albumin in plants, 634.
 Schulze, E., and J. Barbieri, estimation of nitrogen compounds in plants, 312.
 — — — occurrence of allantoin in vegetable organisms, 1061.
 Schulze, H., liquid sulphur phosphide, 72.
 Schulze, H., and A. Steiner, conversion of the distillation vessels of zinc furnaces into zinc spinelle and tridymite, 520.
 Schulze. See also Wallach.
 Schumacher, A., manuring experiments on arable land, 61.
 Schumacher, E., the mountain group of the Rummelsberg, near Strehlen, 698.
 Schumann, vapour-tensions of homologous ethers, 782.
 Schumann. See also Meyer.
 Schuster, A. See Lord Rayleigh.
 Schuster, M., optical orientation of plagioclases, 397.
 Schwarz, H., apparatus for the volumetric estimation of nitrogen, 62.
 — — — preparation of orcinolcarboxylic acid, 96.
 — — — preparation of triphenylmethane, tetraphenylethylene, and tetratolylethylene, 912.

- Schwarz, H., and P. Pastrovich, elementary analysis of organic salts of alkalis and alkaline earths, 124.
- Seelheim, F., percolation of water through soils, 303.
- Seger, H., composition of clay for porcelain, 324.
- Seligmann, G., crystallographic notices, 397.
- Russian topaz and enstatite from Snarum, 694.
- Sella, Q., crystalline forms of the anglesites of Sardinia, 397.
- Selmi, F., chemical toxicology of arsenic, 311.
- chemical toxicology of phosphorus, 309.
- Semljanitzin, A., allylmethylpropylcarbinol and β -methylpropylethylene-lactic acid, 402.
- Senderens. See Filhol.
- Senff, M., substituted glycollic acids, 1127.
- Senhofer, C., and C. Brunner, direct introduction of carboxyl into phenols and aromatic acids, 265.
- Senhofer, C., and F. Sarley, direct introduction of carboxyl groups into phenols and aromatic acids, 1140.
- Sestini, F., action of vapours on seeds, 837.
- Seuberlich, K., preparation of potassium ferricyanide, 239.
- Seubert, K., atomic weight of platinum, 514.
- Seucker, P., treatment of must in the press-house, 331.
- Sharples, S. P., determination of fat in milk, 851.
- Shepard, C. U., meteoric iron from Ivanpah, California, 394.
- meteoric iron of unknown locality in the Smithsonian Museum, 1111.
- meteorite of Estherville, Emmet Co., Iowa, 395.
- mineralogical notices, 381.
- Shimer. See Drown.
- Sieber. See Nencki.
- Siegfried. See Albert.
- Siemens, C. W., on the influence of the electric light on vegetation and on certain physical principles involved, 962.
- Siepermann. See Staedel.
- Silber, P. G., action of hydrochloric acid at high temperatures on ultramarine rich in silica, 138.
- sodium aluminium silicates formed by the action of sodium carbonate on kaolin, 684.
- Silliman, B., mineralogical notices, 1108.
- Silva, R. D., glyceric ether, 1122.
- products accompanying dibenzyl in the aluminium chloride reaction, 913.
- Silvestri, O., meteoric dust containing metallic iron which fell at Catania, 29th March, 1880, 561.
- Simon, S. E., dinitroxyanthraquinone, 608.
- Simon. See also Liebermann.
- Simon-Legrand, comparison of "diffusion" and "press" residues, 757.
- Singer, S., sulphates occurring in the Bauersberg near Bischofsheim, 369.
- Sipöcz. See Tschermak.
- Sjögren, H., fredrieite, a mineral resembling the fahlerz from Falu, 998.
- manganese calcium carbonate containing barium, 690.
- mineralogical notes, 697.
- pyroxene from Nordmark, in Sweden, 380.
- some bismuth minerals from Nordmark, in Wernland, 689.
- Skalweit, F., examination of petroleum, 650.
- Straup, Z. H., cinchomeronic acid, 290.
- isomerism of the pyridine and quinoline series, 744.
- synthesis of quinoline, 287.
- synthesis of the quinoline series, 919.
- Slooten, W. v., air of hospitals during yellow fever, 1179.
- Smetham, A., estimation of organic carbon in potable waters, 196.
- Smith, E. F., electrolytic experiments, 3.
- synthesis of salicylic acid, 1035.
- Smith, J. L., a new meteoric mineral, 29.
- anomalous magnetism of the meteoric iron at Sainte-Catherine, 704.
- nodules of chromite in meteoric iron from Cohahuila, 705.
- the Emmet Co. meteorite, 395.
- the meteorite which fell at Estherville, U.S.A., 561.
- Smith, R. A., measurement of the actinism of the sun's rays and of daylight, 955.
- Smith, W., certain volatile products in crude coal tar benzenes, 1128.
- Smith, W., and W. Liddle, nature of the insoluble form of soda existing in the residue left on causticising sodium carbonate with lime, 508.
- Sommaruga, E., action of ammonia on isatin, 434.
- Sorauer, P., manuring experiments on fruit trees, 936.
- studies on evaporation, 1059.

- Soret, C., influence of temperature on the distribution of salts in solution, 5.
- Soret, J. L., absorption spectra of some metals of the yttrium and cerium groups, 349.
- Sorokin, B., formation of β -methoxyglutaric acid from diallylmethyl carbinol, 414.
- Sotnischewsky, glycerolphosphoric acid in normal human urine, 631.
- Soubeiran, L., *Thapsia garganica*, 181.
- Soxhlet, F., aräometric method for the estimation of fat in milk, 656.
- Soxhlet, F., and others, relation of various sugars to Fehling's solution, 887.
- Spicci, P., action of nascent hydrogen on nitrites, 262.
- cymenesulphonic acid, 602.
- some alkaloids found in the animal organism during life, 294.
- Spiegel, A., synthesis of tropic acid from acetophenone, 277.
- vulpic acid, 97, 173, 1036.
- Spiller, J., identification of the coal tar colours, 659.
- Sprenger, M., phosphotungstic acid, 140.
- Spring, W., formation of acetone and thiacetone, 711.
- union of bodies by pressure, 498.
- Springer, A., ethyl glycocholate, 1160.
- Staedel, W., apparatus for the collection of nitrogen in elementary analyses, 192.
- Staedel, W., and O. Siepermann, new synthesis of organic bases containing oxygen, 722.
- Staedel, W., and others, action of nitric acid on some phenol ethers, 723.
- Stalls. See Clarke.
- Stansell. See Piesse.
- Stas. See Broch.
- Stavely, W. W., a pure coke, 857.
- Stcherbakoff, formation of a secondary alcohol, 401.
- Stebbins, J. H., action of nitroso-dimethylaniline hydrochloride on the phenolsulphonic acids which do not contain the methyl group, 161.
- azo-derivatives, 41.
- Stebler, influence of light on the germination of seeds, 1061.
- Steiner, J., remarks on some experiments with maltose, 568.
- Steiner. See also Schulze and Vienne.
- Steinkauler. See Lunge.
- Stetzner. See Erhard.
- Stillmann, J. M., gum-resin from Arizona and California, 52.
- Stimmel, C., apparatus for skimming milk, 129.
- Stoklasa, J., Bohemian chalk fossils, 477.
- Strasser. See Schultz.
- Strecker, K., specific heat of chlorine, bromine, and iodine gases, 784.
- Streiff, J., α - and β -naphthylphenylamine, 176.
- Streintz, F., decomposition of water between platinum electrodes by the discharge of a Leyden jar, 962.
- Streng, A., quartz from the Eleanore mine on the Düntsberge, near Giesen, 25.
- the phosphates of Waldgirmes, 525.
- Struve, H., blood crystals, 751.
- Struve, H., and O. Jacobsen, Wickerheim's preservative fluid, 126.
- Strüver, J., perowskite of Val Malenco, 1002.
- Studer, A., butylation of aniline, 898.
- Stünkel. See Jannasch.
- Stutzer, A., action of acid gastric juice on the nitrogenous constituents of fodder, 296.
- quantitative estimation and separation of protein matter in plants, 660.
- Suida, W., and S. Plohn, orthoethylphenol, 268.
- Suida. See also Mauthner.
- Suilliot, H., nitric oxide a disinfectant, 664.

T.

- Tanatar, S., preparation of potassium ferrocyanide, 143.
- Tanret, C., ferrous sucrocarbonate, 157.
- peptones and alkaloids, 832.
- waldivin, 441.
- Tanret and Villiers, inosite, 1022.
- Tappenthal, H., and others, manuring experiments with potatoes, 1078.
- Tassmari, G., acetyl- α -naphthol, 280.
- Tauchert. Liebermann.
- Tawildaroff, action of chlorine and bromine on ethylidene chloride and ethyl bromide, 398.
- Tcheck, hops of Southern Europe, 483.
- Terreil, A., phytolaccic acid, 286.
- solubility of tricalcium phosphate in ammoniacal and neutral alkaline salts, 845.
- volumetric determination of peroxides, 843.

- Thalén, R., spectrum of thulium, 349.
- Thallon, L., observations on a group of rays in the solar spectrum, 333.
- Than, C. v., thermochemical investigations, 779.
- Thiercelin, incineration of seaweeds in the manufacture of iodine, 318.
- Thollon, L., rays in the solar spectrum produced by atmospheric absorption, 1.
- Thompson, C. T., nitration of benzoyl cyanide and its derivatives, 814.
- Thompson, W., composition of ink, 67.
- Thomsen, J., benzene and propargyl, 495.
- chemical energy and electromotive power of various galvanic combinations, 216.
- constitution of benzene, 89.
- ethane, 565.
- formula of benzene, 159.
- heat of combustion of benzene, 135.
- heat of combustion of carbon compounds, 219.
- Thomson, T., molecular rotatory power of carbon compounds, 215.
- multiples of the optical rotary powers of carbohydrates, 147.
- multiples in the optical rotatory power of organic compounds, 257.
- rotation constants of cane-sugar, 1023.
- rotatory power of cane-sugar in alkaline solutions, 1023.
- rotatory power of carbon compounds, 709, 1020.
- rotatory power of the carbohydrates and their derivatives, 245.
- Thorpe, T. E., preparation of pyrogallol for dry-plate development, 662.
- Thoulet, J., note on chrome iron, 690.
- Thurnlackh, K. G., chlorine trioxide, 506.
- Tiede, H., manuring potatoes, 1078.
- Tieghem, P. v., alcoholic fermentation in the roots of an apple tree, 115.
- Tieghem, P., and G. Bonnier, torpid condition of seeds, 837.
- Tiemann, F., and J. Oppermann, three isomeric amidocinnamic acids and carbostyrol, 169.
- Tiemann, F., and A. Parrisius, resorcinol derivatives, 270.
- Tiemann, F., and W. Will, hesperidin and its derivatives, 739.
- Tilden, W. A., light resin oil, 101.
- Tilden. See also Armstrong.
- Tissandier, G., dust in the air, 843.
- Tobias. See Liebermann.
- Toennies, P., action of nitrous acid on anethol, 167.
- Törnebohm, A. E., the ferruginous rocks of Ovifak and Assuk, 28.
- Tollens, B., diabetic urine, 1162.
- oxidation of levulinic acid, 411.
- Scheibler's method of estimating sugar in beet, 851.
- specific rotation of cane-sugar in different solvents, 243.
- Tollens. See also Grote, Grupe, Rodwald, and Kehrer.
- Tommasi, D., action of potassium nitrite on ammonium chloride, 788.
- apparatus for showing the dissociation of ammonium salts, 343.
- decomposition of sodium salts by cupric hydrate, 978.
- Traub, C. G., bark of *Sambucus canadensis*, 1163.
- Treadwell, F. P., a new series of volatile organic bases, 895.
- Treupel. See Claus.
- Tribe, A., experimental researches into electric distribution, as manifested by that of the radicles of electrolytes, 963.
- refraction of electricity, 963.
- Tribe. See also Gladstone.
- Troost, L., new compounds of hydrobromic and hydriodic acids with ammonia, 972.
- the vapour of chloral hydrate, 573.
- Troost, L., and P. Hautefeuille, preparation of silicon oxychlorides, 508.
- Troschke. See Fischer.
- Tschermak, G., and L. Sipöcz, the clintonite group, 233.
- zoisite, 1003.
- Tucker, J. H., action of organic matter (not sugar) in cane and beet products on alkaline copper oxide solution, 1177.
- Tuxen, C. F. A., absorption of salts by the soil, 1165.
- Grandea's theory of the fertility of a soil, 1166.
- Tyndall, J., action of an intermittent beam of radiant heat on gaseous matter, 966.
- on Buff's experiments on the diathermancy of air, 966.

U.

Ulbricht, R., analyses of wine and must, 1182.

Unzeitig. See Knecht.

Urba, K., analysis of frieseite, 689.

Urech, F., action of bromine on acetic anhydride, acetic bromide, ethyl acetate, ethyl succinate, &c., 248.

— inversion of cane-sugar by hydrochloric acid at the ordinary temperature, 242.

— product of the action of bromine on ethyl succinate, 414.

V.

Vakovitch. See Colley.

Valaenburg, S. D. v., preparation of iodine-iron cod-liver oil, 181.

Valente, L., essential oil from hemp, 284.

— supposed synthesis of glucose, 242.

Valente. See also Carnelutti and Eder.

Valery-Mayet and others, researches on phylloxera, 1069.

Vanderburg, E. A., analysis of iodine-iron cod-liver oil, 124.

— ash of light-coloured cod-liver oil, 124.

Varenne, L., action of hydrofluoric acid on ammonium dichromate, 225.

— passive state of iron, 343.

Varenne. See also Prunier and Ruyssen.

Véain, C., microscopical study of the glasses resulting from the fusion of the ashes of grass, 692.

Venable, F. P., derivatives of the heptane from *Pinus sabiniana*, 82.

Vernet, L., glucoside from the ivy, 440.

Vieille. See Berthelot, also Sarrau.

Vienne and Steiner, preparation of metatoluidine, 721.

Vigier, F., and C. Cloez, essence of *Erigeron canadense*, 1151.

Ville, J., ferruginous carbonated waters, 1112.

Ville. See also Engel.

Villiers, A., etherification of hydro-bromic acid, 32.

Villiers. See also Tanret.

Vincent, C., benzhydrol acetate, 596.

— sorbin and sorbite, 148.

— thiocarbonates of potassium and other metals, 855.

Vines, S. H., chemical composition of aleurone grains, 1062.

Violle, J., intensity of the luminous radiation from incandescent platinum, 669.

Voelcker, A., comparative value of soluble and insoluble phosphates, 640.

Voelcker, A., composition of cream and skim-milk from De Laval's centrifugal separator, 771.

— continuous cropping of wheat and barley, 638.

— fattening of oxen, 116.

— rotation of crops, 639.

Voeller. See Claus.

Völtzkow, M., phenyl- and tolyl-thiocarbimide glycolide, 43.

Völtzkow. See also Claus.

Vogel, A., ash of various parts of a plant, 837.

Vogel, H. W., sensitiveness of silver bromide dry plates for different portions of the solar spectrum, 773.

Voit, the changes undergone by meat in the process of pickling, 66.

Voit, E., importance of lime to the animal organism, 190.

de Vrij, J., quinuclidine borate, a new febrifuge, 1154.

W.

Wagner, A., analysis of gunpowder, 193.

— determination of ash in coal and coke, 196.

— limits of error in analysis of combustion gases, 205.

Wagner, P., and H. Prinz, manuring of vines, 121.

Wagner. See also Albert and Harcher.

Walder. See Liebermann.

Walitzky, W. E., cholesterylene, 401.

Wallace, W., chemistry of sewage precipitation, 662.

Wallach, O., derivatives of pyromucic acid, 714.

— substituted oxamides, formamides, and diethyloxamic acid, 717.

Wallach, O., and I. Kamenski, amide bases from dibasic acids, 284.

Wallach, O., and E. Schulze, bases of the oxalic series, 572.

Waller, E., testing of phenol, 655.

Waller, J., analysis of demantoid from the Urals, 697.

Walter. See Graebe.

Wanklyn, J. A., and W. J. Cooper, new apparatus for use in gas analysis, 939.

Warden, C. J. H., analysis of forage biscuits, 637.

— *Gloriosa superba*, 103.

Warder, R. B., alkalimetry with phenolphthalein as indicator, 848.

Wartha, V., on an explosion produced

- while heating wine, and a new process for the estimation of alcohol, 479.
- Watson, W. H., action of oils on metals, 772.
- Watt, A., specific rotatory power of cane and invert sugar, 654.
- Wattenberg. See Kern.
- Watts. See Brauner.
- Weber, R., explosion of petroleum and other combustible liquids, 1181.
- Websky, crystalline form of descloizite, 1001.
- crystalline form of vanadinite from Cordoba, 1002.
- Weddige, A., ethylene ethers of phenol and nitrophenol, 1136.
- Weidel, H., tetrahydrocinchonic acid, 830.
- Weidel, H., and G. L. Ciamician, dry distillation of gelatin, 295.
- Wein, E., cultivation and manuring of leguminosæ, 938.
- experiments with various phosphates as manure, 120.
- growth of yellow lupines, 299.
- pigeon's dung, 121.
- Weinhold, A., preparation of selenium resistance-rods for photophonic purposes, 339.
- Weisbach, A., mineralogical notices, 362.
- Weisbuch, R., crystalline form of leucite, 397.
- Weith, W., relation of the numbers of fish to the lime present in waters, 630.
- Weith. See also Fleischmann and Merz.
- Weitz, M., a baking powder, 132.
- Weselsky, P., and R. Benedikt, ethers of quinol and orcinol, 1139.
- resorcinol colouring matters, 726.
- Wesendonck, C., spectrum of carbonic anhydride, 861.
- West, S., and W. J. Russell, amount of nitrogen excreted in the urine of man at rest, 1056.
- West. See also Zuckschwert.
- West-Knights, J., estimation of nitrates in potable waters, 1173.
- estimation of the insoluble fatty acids in butter, 201.
- Weyl, T., and X. Zeitler, oxygen absorption by alkaline pyrogallate, 307.
- relation between the oxygen and organic matter found in mineral waters, 650.
- relations between oxygen and organic matter in various waters, 1087.
- White. See Jackson.
- Wichmann, A., some lavas from the island of Ninafou, 701.
- Wichnegradsky, reduction of quinoline and ethylpyridine, 444.
- Widman, O., cuminoïn, 597.
- Wiedel, H., and A. Cobenzl, cinchonic acid and quinoline-derivatives, 742.
- Wiesner, influence of intermittent light on the formation of chlorophyll, 930.
- Wieser, H., pyroguaiaclol, 813.
- Wigner, G. W., analysis of tinned food, 211.
- Wigner, G. W., and R. H. Harland, action of potassium permanganate on potable waters at different temperatures, 1172.
- Will, W., action of carbonyl chloride, and of alcoholic bromides, &c., on substituted thiocarbimides, 905.
- Will. See also Tiemann.
- Williams, C. G., action of sodium on quinoline, 613.
- physiological action of β -lutidine, 1058.
- Williams, E., absorption of moisture by glycerol, 1120.
- Wilm, E., separation of the metals of platinum ores, 226.
- Wilm, T., action of palladium, rhodium, and platinum on coal gas, 706.
- chemistry of the platinum metals, 514.
- chromium sesquioxide, 63.
- Winkelmann, vapour-tensions of homologous series, and Kopp's law of constant difference of boiling points, 71.
- Winkelmann. See also Nies.
- Winkler, C., amount of sulphuric anhydride in fuming sulphuric acid, 1097.
- examination of the iron meteorite from Rittersgrün, 560.
- recrystallisation of argentiferous bismuth, 354.
- Winogradoff, action of aluminium chloride on acetic chloride, 407.
- Wislicenus, J., decomposition of polybasic acetoacetates by alkalis, 409.
- Wittelshöfer, P., disadvantages of cooling pans in distilleries, 1089.
- Wittjen. See Precht.
- Wittmann, experiments with darnel and lucerne as a mixture for meadows, 1065.
- Witz, cooling power of gases and vapours, 341.
- Wöhler, F., remarks on the native iron of Greenland, 515.

Wolberg, L., influence of certain salts and alkaloids on digestion, 752, 834.
 Wolf, F. M., examination of melaphyr from the neighbourhood of Klein-schmalkalden, 27.
 Wolff, E., and others, manuring experiments to determine the value of phosphoric acid soluble in citrate solution, 1075.
 Wollny, E., amount of water appropriated by agricultural plants, 1060.
 — cultivation of beet, 60.
 — influence of superficial drying on the temperature and moisture of the soil, 934.
 — influence of trenching on the temperature and moisture of the soil, 60.
 Wright, C. R. A., determination of chemical affinity in terms of electro-motive force, 959.
 Wroblewsky, E., isomeric xylidines, 433.
 — oxidation of nitroxylene and xylylene, 420.
 Wroblewski, S., application of photometry to the study of diffusion phenomena in liquids, 956.
 Wüllner, A., supposed heating of ice, 778.
 Wulfsberg, N., aspidospermine and paytine, 108.
 Wurm, E., manufacture of vinegar by means of bacteria, 128.
 Wurtz, A., an oxygenated basic derivative of aldol, 246.
 — papain, 58, 750.
 Wyrouboff, G., potassium and ammonium tetrachromates, 352.

Y.

Yoshida, H., maltose, 568.
 Young, J., and G. Forbes, experi-

mental determination of the velocity of white and coloured light, 861.

Z.

Zagoumenny, A., benzopinacone and benzopinacolin, 813.
 — tetraphenylethane, 434.
 Zalomanoff, R., new method of ascertaining the absorptive power of a soil, 935.
 Zepharovich, V. V., crystalline form of silver iodide, 398.
 — enargite from the Muntzenkopf near Brixlegg, in Tyrol, 397.
 — halotrichite and melanterite from Idra, 232.
 — mineralogical notices, 995.
 Zeitler. See Weyl.
 Ziesel. See Lieben.
 Zimmermann, C., action of uranyl salts on turmeric paper, 122.
 — products of decomposition and metamorphosis of uranyl sulphide, 79.
 — separation of the heavy metals of the ammonium sulphide group, 122.
 — uranates, 686.
 — use of potassium permanganate in volumetric analysis, 759.
 Zimmermann, J., azo-compounds of paramononitrodiphenyl, 175.
 — derivatives of paramidodiphenyl, 175.
 Zimmermann. See also Claus and Gabriel.
 Zincke, T., action of amines on quinones, 595, 915.
 Zoebel, A., manuring experiments with summer barley, 1077.
 Zuckschwert and West, estimation of potassium as platinochloride, 941.
 Zulkowsky, K., crystallisable constituents of corallin, 725, 899.